


Grant County
PUBLIC WORKS DEPARTMENT

Derek Pohle, P.E.
Director of Public Works and
County Road Engineer
Ephrata (509) 754-6082

David N. Heilman
Assistant Director of Public Works
and County Road Engineer
Ephrata (509) 754-6082

Jeff Tincher, P.E.
Assistant County Road Engineer
Ephrata (509) 754-6082

Robert Bersanti
Design/Construction Engineer
Ephrata (509) 754-6082



Steve Hill, Supervisor
Road District No. 1
Ephrata (509) 754-6586

Dennis Collier, Supervisor
Road District No. 2
Moses Lake (509) 765-4172

John Brissey, Supervisor
Road District No. 3
Quincy (509) 787-2321

Jerome Wawers, Supervisor
Bridges
Ephrata (509) 754-6082

124 Enterprise St. S.E.
Ephrata, Washington 98823
(509) 754-6082; Fax (509) 754-6087

Sealed bids will be received for the following equipment:

3.0 CY Wheel Loader
1.25 CY Backhoe
6x6 Motorgrader

Bid Opening
at
1:45 PM
January 29, 2008
at the
Office of the
Board of County Commissioners
Grant County Courthouse
35 C Street NW, Room 207
P.O. Box 37
Ephrata, WA 98823

NOTICE TO EQUIPMENT DEALERS

Sealed bids, plainly marked "**Bid for Wheel Loader, Backhoe, & Motorgrader, Equipment Contract 2008-02**", will be received by Grant County at the Office of the Board of County Commissioners located in the County Courthouse, 35 C Street NW - Room 207, P.O. Box 37, Ephrata, WA 98823, until **1:45 PM, Tuesday, January 29, 2008**, and will then and there be opened and publicly read for furnishing and delivering:

One - 3.0 CY Wheel Loader

One - 1.25 CY Backhoe w/extend-a-hoe

One - 6x6 Motorgrader w/wing and scarifier

Informational copies of the proposal and specifications are on file with the County Engineer in the Grant County Public Works Building, 124 Enterprise St. S.E., Ephrata, WA 98823.

Any bidder offering new equipment shall include in their proposal an offer to purchase the trade-in equipment. The County assumes the new equipment bidder's trade-in offer is a part of the bid including the new equipment. The bidder's trade-in offer will only be considered separate if the bidder grants permission to the County to consider their trade-in offer separately.

Any person or company may make an offer to purchase the trade-in equipment independent of a bid on the sale of the new equipment. Such offers shall be made on forms provided by the County. The bidders are advised that mileage will continue to accumulate at the current usage rate until replacements vehicles are delivered. The County is offering the following trade-ins:

- Trade-Ins: #2450 - 1991 Case 821 Wheel Loader w/3.0 cy general purpose bucket.
Serial No. JAK0024017 License No.15869C Hours as of 10/31/07: 5,200 est.
This wheel loader may be inspected at Road District No. 2 Shop in Moses Lake, WA., Monday through Thursday between 10:00 am and 3:00 pm. (509) 765-4172.
- #1270 - 1986 Clark Michigan 125C Wheel Loader w/3.5 cy general purpose bucket.
Serial No. 809A242CB License No.66140C Hours as of 10/31/07: 8,000 est.
This wheel loader may be inspected at Central Shop in Ephrata, WA., Monday through Thursday between 10:00 am and 3:00 pm. (509) 754-6086.
- #2540 - 1992 John Deere 310D w/1.25 cy 4in1 loader bucket and 24" backhoe bucket
Serial No. T0310DG784501 License No. 22083C Hours as of 10/31/07: 3981
This backhoe may be inspected at Road District No. 2 Shop in Moses Lake, WA., Monday through Thursday between 10:00 am and 3:00 pm. (509) 765-4172.
- #058 - 1986 Gradall G660C Excavator
Serial No. G-866065 License No. 67137C Hours as of 10/31/07: 8,000 est.
This wheeled excavator may be inspected at Central Shop in Ephrata, WA., Monday through Thursday between 10:00 am and 3:00 pm. (509) 754-6086.
- #3660 - Caterpillar 140G Motorgrader w/ Balderson wing plow
Serial No. 5MD03416 License No. 37575C Hours as of 10/31/07: 13,879
This motorgrader may be inspected at Road District No. 3 Shop in Quincy, WA., Monday through Thursday between 10:00 am and 3:00 pm. (509) 787-2321.

All vehicles are offered "AS IS". Prospective buyers may view the equipment at the convenience of the operator. Please call the department to make arrangements to inspect the vehicle. All vehicles are operating and currently in-service. Dist 1 - 509-754-6586.

The Board of County Commissioners reserves the right to reject or accept any or all portions of the bids received.

INSTRUCTIONS TO BIDDERS

- 1) Sealed bids, plainly marked "**Bid for Wheel Loader, Backhoe, & Motorgrader, Equipment Contract 2008-02**", will be received by Grant County at the Office of the Board of County Commissioners located in the County Courthouse, P.O. Box 37, 35 C Street NW - Room 207, Ephrata, WA, 98823, until **1:45 PM, January 29, 2008**, and will then and there be opened and publicly read for the construction of the improvements.
- 2) The Bidder may submit a bid on any or all items listed. If the Bidder does not wish to bid any particular item or items, please write "**NO BID**" on the appropriate proposal sheet.
- 3) Multiple bids for the same item may be made by the Bidder. Please copy the appropriate proposal sheet(s) for the item(s) to be bid with more than one model. The proposal for each item bid must be completed. Please number the proposal sheets accordingly.
- 4) The proposal must be completed and the proposal signature sheet must be signed.
- 5) An informational copy of the contract is provided to the Bidder. Please read it but do not sign it.
- 6) All exceptions or changes to the specifications must be shown on the proposal sheet(s) in the space provided or attached to the proposal sheet.
- 7) The Board of County Commissioners reserves the right to reject or accept all or part of the proposal submitted by the Bidder.
- 8) Bidders are advised that the unit price bid for each new item will be compared with current State or other public agency contract prices for similar vehicles. After said comparison the County may reject or accept all or part of the proposal submitted by the Bidder and purchase items directly from the State or other public agency contracts.
- 9) Trade-ins are offered for sale in this contract. Bidders offering new equipment are required to make an offer on the trade-in equipment listed, but can choose to restrict their offer to the award of the contract. Interested parties that are not offering new equipment may submit a bid for one or more trade-in equipment listed. A 5% bid security is required for offers made on all trade-ins from bidders not offering new vehicles or equipment. Although no minimum bids are reserved the County will compare trade-in offers to reliable publications or other sources.

Interested parties bidding for trade-in vehicles only are required to post a 5% deposit based on the bid amount offered for the equipment. The deposit will be held until the purchaser provides the whole amount for all vehicles awarded to the high bidder. If the purchaser fails to pay for the awarded vehicles within the allotted time, the deposit shall be forfeited to the County.

GENERAL CONDITIONS

1. The attached specifications are for the purpose of providing details regarding the type of product desired by Grant County. Equal or similar products from reputable manufacturers and suppliers are permitted. Grant County shall be the final determiner of product equivalence.
2. The Bidder has 15 days from the date of award to sign and return the contracts. Failure to sign and return the contracts may result in the loss of the contract to the Bidder. No performance bond is required for this bid proposal.
3. Grant County shall pay State sales and use taxes on all products purchased. The Bidder shall not include taxes in the bid price and shall show state sales taxes as a separate item in the space provided.
4. Grant County is a political subdivision of the State of Washington and is exempt from paying all Federal excise taxes. The Bidder shall furnish Federal excise tax exemption certification when applicable. All other taxes and costs of business shall be borne by the Bidder and included in the base price.
5. All products shall conform to applicable Federal and State safety and health laws, rules and regulations.

BID EVALUATIONS

1. Bid evaluations shall include, but not be limited by, the following criteria:
 - a. Price (*may include life cycle*)
 - b. Quality of product
 - c. Conformance to specifications
 - d. Prompt service and parts availability
 - e. Training
 - f. Bidder's previous contract experience
 - g. Public's best interest.

SUBMISSIONS

1. Bidders are advised to submit the following with each bid item:
 - a. Descriptive literature.
 - b. Complete operating dimensions and sketches of the proposed unit.
 - c. Complete information detailing engines, engine accessories, transmissions, frame, axles, electrical components, cab, differentials, drivelines, hydraulic systems, and appurtenances for each unit bid.
2. The Bidder may submit any other information that may assist Grant County in evaluating the bid.

FULL SERVICE FACILITY

A full service facility is defined as the location with spare parts available to Grant County within 24 hours from 8:00 AM to 5:00 PM, Monday thru Friday.

WARRANTY

The Bidder must state the warranty period on all items bid. Grant County may require a minimum warranty period. Within the warranty period the successful Bidder shall replace all parts and perform all repairs which are required or made necessary due to defective design, materials, workmanship, or non-conformance with the specifications. Unless otherwise noted, the Bidder shall perform all warranty repairs at the Bidder's place of business. Grant County shall deliver and retrieve defective equipment at the Bidder's place of business. All repairs shall have the warranty reinstated for the remaining period.

OPERATOR'S, PARTS AND SERVICE MANUALS

The Bidder shall furnish operator's manuals, service manuals and parts manuals as specified in the proposal. **Manuals must be delivered to Grant County before product delivery is considered complete.**

DELIVERY, INSPECTION AND ACCEPTANCE

All equipment shall be new and the manufacturer's latest model. All standard equipment shall be furnished with the unit. The unit and mounted equipment, if any, shall be serviced, comply with all specifications, and be in full working order for the purpose it was designed at the time of delivery. **Grant County will accept delivery between the hours of 8:00 AM to 3:30 PM, Monday thru Thursday only.** Unless otherwise noted, deliveries shall be F.O.B. Grant County. The Bidder will be required to obtain a delivery address and time from the County Engineer, or his designated representative, for each piece of equipment. The Bidder, or his representative, is requested to be present at the time of delivery.

TRAINING

1. The Bidder and manufacturer's representatives must be able to provide sufficient training to Grant County personnel to operate, service and repair the equipment. The training should occur in Grant County. Training shall include all labor, equipment, materials, tools, travel and other expenses needed to provide a complete service. The Bidder may show a minimum number of training hours for each category. Failure to offer any training will be a consideration in the bid evaluation process
2. The Bidder shall state the number of hours and the cost per hour for each category of training on the proposal form in the space provided.
3. Training is an additive cost to the contract. The Bidder shall not include training costs in the base bid of the proposal. Grant County is not obligated to use the training offered by the Bidder, however, should Grant County desire to utilize the training programs offered those costs will be added to the contract..

LATE DELIVERY

No penalty for late delivery will be assessed against the Bidder. However, the Bidder is advised that the failure to deliver the equipment before the promised date will be a consideration used at succeeding bid proposal evaluations.

TRADE-INS

Grant County is not obligated to accept the trade-in offer and may accept new equipment bid without the trade-in offer. The trade-in offer itself will be assumed to be a part of the whole item and will not be considered separately unless the Bidder clearly states the trade-in offer may be considered separately. Bids for trade-ins only will be considered separately.

PROPOSAL Bid Item No. 1

BID ALTERNATE # _____

<u>Description</u>	<u>Quantity</u>	<u>Unit Price</u>	<u>Amount</u>
Furnish and deliver 3.0 cy wheel loader	1	\$ _____	\$ _____
F.O.B. Grant County, WA		Trade-in #2450	(\$ _____)
		Trade-in #1270	(\$ _____)
Dealer Bid Only: Trade-in offers may be considered separately? Yes ___ No ___		Sub-Total	\$ _____
		_____% SST	\$ _____
		TOTAL BID	\$ _____

Make and Model: _____
 Warranty Period: _____

Delivery: _____

Wheel Loader Specifications

The successful bidder will furnish and deliver all-wheel drive wheel loader with 3.0 cy struck capacity general purpose bucket for loading stockpiled materials and road construction.

General

(Note specifications below)

- 2008 model year. _____
- 39,000 lb. operating weight with standard equipment _____
- 1,700 lb. counterweight _____
- 10' 6" wheelbase _____
- 3.0 cy struck general purpose bucket w/bolt-on edge & bolt-on teeth _____

Engine

- 4-stroke 6 cyl. turbocharged diesel engine, 190 SAE net HP @ 2200 rpm or larger _____
- Self-diagnostic with service code display _____
- Electric intake manifold heaters for cold-weather starting. _____
- -34°F coolant with coolant surge tank. _____
- Engine coolant heater - 1,000 watt, 110 volt. _____
- Full flow spin-on oil filter _____
- Engine oil drain valve and hose _____
- Engine oil cooler _____
- Quick-release dual-stage fuel filter with primer pump _____
- Quick-release fuel filter and water separator _____
- Dual air cleaner elements, dry type, with restriction indicator for service _____
- Self-draining muffler, under hood with stack _____
- Engine compartment doors _____
- Blower-type fan _____
- Key start and shutoff _____

Transmission

- Power shift transmission, computer controlled, with quick shift and automatic shift features _____
- 4 forward / 3 reverse gears with 23 mph travel speed _____
- 4 wheel drive _____
- Self-diagnostic with service code display. _____
- Transmission side frame guards _____
- Bottom guards, front frame and transmission _____

Final drives, brakes, and tires

- Front and rear axles with hydraulic locking differentials _____
- Planetary final drives, mounted inboard _____

- Automatic bucket boom height kickout control _____
- Automatic bucket return-to-carry control _____
- Control lever lock-outs _____
- Spin-on hydraulic filter(s), vertical mount _____
- Hydraulic system oil cooler _____

Cab

- Full height ROPS cab with sound suppression and vibration isolation _____
- Adjustable front console with tilt steering wheel _____
- Fuel level gauge _____
- Engine oil pressure gauge _____
- Engine coolant temperature gauge _____
- Transmission oil temperature gauge _____
- Hydraulic oil temperature gauge _____
- Computerized monitor system with warning lights:
 - Park brake on / service brake pressure with audible alarm / hydraulic oil temperature / transmission oil temperature with audible alarm / engine oil pressure with audible alarm / alternator voltage / differential lock filter restriction / engine air filter restriction / transmission oil filter restriction / hydraulic oil filter restriction / battery voltage / engine coolant level / service code warning / selectable display on monitor _____
- Ammeter _____
- Tachometer _____
- Speedometer _____
- Hour meter _____
- Turn signal indicators w/four-way flasher indicators _____
- Instrument lights _____
- Electric horn _____
- Interior lights _____
- Exterior rear view mirrors, left and right sides _____
- Interior rear view mirror _____
- Reverse warning alarm with adjustable audio control level _____
- Vinyl air-suspension seat with vertical/horizontal adjustments _____
- Retractable 3" seat belt _____
- Auxiliary 12 volt power supply with cigarette lighter/receptacle _____
- Provide 12 volt power supply, fused, for use by County-furnished two-way communications radio; provide antennae access to top of cab _____
- Tinted glass _____
- Front and rear intermittent windshield wipers _____
- Front and rear windshield washers _____
- AM/FM radio _____
- Mounted fire extinguisher, Type ABC, and coat hook _____
- Storage compartment for operator's manual _____
- Factory installed air conditioning and filtering _____
- Dual defroster/heat/circulation air fans, multiple speed, adjustable vents _____
- 20,000 Btu/hr heater, floor mounted _____
- Vandalism protection package _____

Miscellaneous

- 90 gallon fuel tank _____
- Lockable tool box _____
- Lift and tie down hooks _____

- License plate bracket _____
- Two parts, two service, and two operator's manuals to be provided at time of delivery _____
- Color: Manufacturer's yellow _____
- Written guarantee to cover all repairs, including parts, labor, materials, except loader transport, for a 12 month/1,500 hour period after the date of delivery (please attach) _____

OPTIONS: Please list the cost to add the following options or substitute same for equipment listed above:

- 4-in-1 multipurpose bucket and all controls (list struck capacity) _____
- Provide tool carrier conversion. List make and model of carrier. _____

Trade-Ins: #2450 - 1991 Case 821 Wheel Loader w/3.0 cy general purpose bucket.
 Serial No. JAK0024017
 #1270 - 1986 Clark Michigan 125C Wheel Loader w/3.5 cy gp bucket.
 Serial No. 809A242CB

Nearest service outlet for warranty repairs:

Company: _____ Contact: _____
 Street: _____ Phone: (_____) _____
 City: _____ Fax: (_____) _____
 State: _____ Zip _____ Email: _____

Proposed customer training:

Operator _____ hrs @ \$ _____/hr
 Service _____ hrs @ \$ _____/hr
 Mechanical _____ hrs @ \$ _____/hr
 Location Ephrata, WA

Replaces 2540 Dist 2

PROPOSAL Bid Item No. 2

BID ALTERNATE # _____

<u>Description</u>	<u>Quantity</u>	<u>Unit Price</u>	<u>Amount</u>
Furnish and deliver 4x4 backhoe w/extend-a-hoe F.O.B. Grant County, WA	1	\$ _____	\$ _____
		Trade-in #2540	(\$ _____)
		Trade-in #058	(\$ _____)
Dealer Bid Only: Trade-in offers may be considered separately? Yes _____ No _____		Subtotal	\$ _____
		% SST	\$ _____
		TOTAL BID	\$ _____

Make and Model for Backhoe: _____ Warranty: _____ Delivery: _____

General Specifications

(Note unit specifications below)

- 2008 model year. _____
- 4 wheel drive model. _____
- 12 volt electrical system _____
- 92 net SAE HP 4 cylinder 4.5 liter diesel engine. _____
- 15' 10" digging depth before extended dipper added. _____
- Synchronized power shift transmission with 4 forward/4 reverse speeds, pedal shuttle control. _____
- Differential lock, on-the-go push button activation. _____
- Power steering. _____
- Single lever hydraulic controls for backhoe and loader mounted within easy reach of operator. Pedal mounted boom swing. Controls to conform to needs of front-mounted loader and rear-mounted backhoe per manufacturer's recommendation. _____
- 14.5 x 17.5 10 ply tires front, Goodyear. _____
- 21.0 L x 24 10 ply tires rear, Goodyear. _____
- ROPS cab; factory installed AC/heater/defroster system; fully adjustable swivel seat; wiper and washer for front and rear glass; outside rear view mirrors, left and right side; hour meter; tachometer; gauges/indicators/warning lights for engine temp., oil pressure, hydraulic oil temp., fuel, parking brake, and filters; headlights; 2 front/2 rear worklights; LED stop and tail lights; LED turn signals and emergency flashers; Whelen S360D strobe on cab with 4 cycle controller mounted in cab; vandalism protection package, AM/FM with CD player, tinted glass, auxiliary power receptacle/cigarette lighter _____
- Master battery disconnect switch for electrical system. _____
- 1.25 cu. yd. heaped 4-in-1 loader bucket capacity w/return to dig; 9'-2" full height dump clearance w/4 in 1 bucket (minimum); 3" digging depth (minimum). _____
- Hydraulic attachment coupler for loader bucket & forklift; supply forklift tool. _____
- 3' 6" hydraulic extending hoe with 24" wide standard trenching backhoe bucket with teeth; 19' digging depth (minimum); 11'-8" transport height (maximum); stabilizers w/removable rubber pads. _____
- Color: Manufacturer's standard _____

Backhoe Standard Equipment and Warranty

- All factory standard equipment and warranties including: two parts books, two shop manuals, and three operator's manuals to be furnished at the time of delivery _____
- 12 month full service and repair warranty (minimum) _____

- List or attach other factory standard equipment or attach literature: _____

Trade-In: #2540 - 1992 John Deere 310D w/1.25 cy 4in1 loader bucket and 24" backhoe bucket.
 Serial No. T0310DG784501
 #058 - 1986 Gradall G660C Excavator
 Serial No. G-866065

Nearest service outlet for warranty repairs:

Company: _____ Contact: _____
 Street: _____ Phone: (_____) _____
 City: _____ Fax: (_____) _____
 State: _____ Zip _____ Email: _____

Proposed customer training:

Operator _____ hrs @ \$ _____/hr
 Service _____ hrs @ \$ _____/hr
 Mechanical _____ hrs @ \$ _____/hr
 Location Ephrata, WA

Replaces: 2540 [Dist. 2]

PROPOSAL Bid Item No. 3

BID ALTERNATE # _____

<u>Description</u>	<u>Quantity</u>	<u>Unit Price</u>	<u>Amount</u>
Furnish and deliver 6x6 motor grader F.O.B. Grant County, WA	1	\$ _____ Trade-in #3660	\$ _____ (\$ _____)
		Subtotal	\$ _____
		% SST	\$ _____
		TOTAL BID	\$ _____

Make and Model: _____ Warranty: _____ Delivery: _____

General Specifications

(Note unit specifications below)

- 2008 model year. _____
- 6 wheel drive model. _____
- 32,000 lb. operating weight without weights, plows,
wings, scarifier/ripper (minimum). _____
- 19'7" wheelbase _____

Engine

- 4-stroke 6 cyl. turbocharged diesel engine,
165 SAE net HP @ 2200 rpm or larger _____
- Dual horsepower option _____
- Rubber isolation mounting to reduce vibration and noise. _____
- Self-diagnostic with service code display _____
- Electric intake manifold heaters for cold-weather starting. _____
- -34°F coolant with coolant surge tank. _____
- Serpentine belt with automatic tensioner _____
- Engine coolant heater - 1,000 watt, 110 volt. _____
- Electric fuel shut-off. _____
- Engine oil drain valve and hose _____
- Quick-release dual-stage fuel filter with primer pump _____
- Water/fuel separator and visual sediment bowl. _____
- Vertical spin-on engine oil filters. _____
- Dual air cleaner elements, dry type, with tangential unloader
and presecreener _____
- Self-draining muffler with curved stack _____
- Engine compartment doors _____
- Blower-type fan _____
- Key start and shutoff _____

Transmission

- Power shift transmission with 8 forward/4 reverse speeds
with 23 mph forward and 17 mph reverse travel speed _____
- Electronic shift modulation _____
- Self-diagnostic with service code display. _____
- Rubber isolation mounting to reduce vibration and noise. _____
- Neutral lock with neutral start safety switch. _____
- Vertical spin-on transmission oil filters. _____
- Separate oil lubrication, filtration, and cooling
systems. _____
- Quick disconnect test ports _____

Final drive, brakes, and tires

- Operator-controlled hydraulic differential lock. _____
- Planetary final drives _____

- Separate oil lubrication, filtration, and cooling systems.
- 6 x 4 Tandem drive
- Air/hydraulic, wet multi-disc brakes sealed in filtered oil, self-adjusting, effective on all drive wheels
- Primary and secondary brakes with brake line covers
- Spring actuated, hydraulically released parking brake
- 14.00-R24 XGLA-2 (12 pr.) tubeless radial tires with single piece rims, Goodyear

Steering

- All hydraulic power frame articulation
- Crab steering
- 25° frame articulation, right and left

Front Axle

- Heavy duty, welded box construction
- 32° front axle oscillation (total)
- 20° wheel lean each direction

Draft frame

- Double ball and socket for 90° bank position left and right
- Replaceable wear inserts
- Blade lift accumulators to absorb vertical shock

Circle

- 60" diameter with replaceable wear inserts
- 360° rotation
- Hardened teeth facing inward for extra protection
- Sideshift 28.5" right, 31" left
- Drive slip clutch to absorb horizontal shock to moldboard

Moldboard

- High strength, wear resistant high carbon steel with replaceable sideshift inserts
- 14 ft. x 24" x 0.88"
- Hardened steel cutting edge, 0.75" x 8", with hi-carbon inserts

Front attachments

- Auxiliary supply and return hydraulics and valve for front mounted V-plow hitch with spill proof, screw type couplers
- V-plow lift control lever on console in cab

Rear Attachments

- Rear undercarriage skid plate/bar to protect transmission and hydraulic filters, etc. from damage
- Rear auxiliary hydraulics with spill proof screw-type couplers
- Provide rear hitch and hitch bar assembly to attach to and tow standard pickup truck

Electrical

- HD, low maintenance 1,400 CCA, 440 min. reserve batteries (2)
- 80 amp alternator
- 24 volt starting system
- Bypass start safety cover on starter
- Electrical load center with ground level access
- Circuit protection with blade-type fuses/breakers

- Front, lower front, and rear intermittent windshield wipers
- Front, lower front and rear windshield washers
- Mounted fire extinguisher, Type ABC, and coat hook
- AM/FM radio with CD player.
- Storage compartment for operator's manual
- Lower front windows open for ventilation
- Factory installed air conditioning/defrosters/20,000 BTU heater/circulation fans, multiple fan speeds, adjustable vents
- Vandalism protection package

Miscellaneous

- 100 gallon fuel tank
- Lockable tool box
- Licence plate bracket
- Three parts, three service, and three operator's manuals for grader and attachments to be provided at delivery
- Color: Manufacturer's yellow
- Written guarantee to cover all repairs, including parts, labor, materials less grader transport for a 24 month/1,500 hour period after the date of delivery (please attach)

Front Attachments

- Front V-plow hitch.
 - Hitch to be mounted and operational at delivery.
 - Dealer to provide connection compatibility with existing V-plow.
 - Three parts, three service, and three operator's manuals to be provided at delivery for full order.
 - Written guarantee to cover all repairs, including parts, labor, materials less transport for a 24 month/1,500 hour period after the date of delivery

Rear attachments

- Auxiliary hydraulics for rear mounted equipment.
- Ripper/scarifier combination. List price:
 - Ripper/scarifier: 86" width of cut
9 teeth or more
9" penetration
 - Ripper/scarifier mounted and operational at delivery
 - Cab mounted controls on console
 - Mounted rear tow hook for towing operator's pickup.
 - Three parts, three service, and three operator's manuals to be provided at delivery for full order
 - Written guarantee to cover all repairs, including parts, labor, materials less transport for a 24 month/1,500 hour period after the date of delivery

Side Attachments

- Wing plow.
 - 12' high tensile steel moldboard with mechanical float
 - 5/8" x 6" x 12' hardened steel cutting edge with hi-carbon inserts
 - All hydraulic high lift mast-type mounting (no cables).
 - Wing plow control levers on console
 - Side auxiliary hydraulics with spill proof screw-type couplers
 - 20" ground clearance
 - Right cab door opens to full open-fixed position with

- front mast mounted
- 45°/108" positive and 30°/75" negative embankment sloping capability
- Pushbeam overload sheer pin @ ½", grade 2 with two-way spring system, three position mount 60" benching height
- Wing plow to be mounted and operational at delivery
- Rubber damper and safety chain to secure folded wing
- Three parts, three service, and three operator's manuals to be provided at delivery for full order
- Written guarantee to cover all repairs, including parts, labor, materials less transport for a 24 month/1,500 hour period after the date of delivery
- Note to bidder: Monroe wings are not acceptable

Note: No lease or buy-back options are requested from the bidding agency.

Trade-in: #3660 - Caterpillar 140G Motorgrader w/Balderson wing plow
Serial No. 5MD03416

Nearest service outlet for warranty repairs:

Company: _____ Contact: _____
 Street: _____ Phone: (____) _____
 City: _____ Fax: (____) _____
 State: _____ Zip _____ Email: _____

Proposed customer training:

Operator _____ hrs @ \$ _____/hr
 Service _____ hrs @ \$ _____/hr
 Mechanical _____ hrs @ \$ _____/hr
 Location Ephrata, WA

Replaces: #3660 Dist 3

Non-Collusion Declaration

I, by signing the proposal, hereby declare, under penalty of perjury under the laws of the United States that the following statements are true and correct:

1. That the undersigned person(s), firm, association, or corporation has (have) not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with the project for which this proposal is submitted.
2. **That by signing the signature page of this proposal, I am deemed to have signed and have agreed to the provisions of this declaration.**

Proposal for New Equipment - Signature Page

The Bidder supplying new vehicles and trade-in offers is hereby advised that by signature of this proposal he/she is deemed to have acknowledged all requirements and signed all certificates contained herein.

No proposal guaranty is required for this bid proposal offering new vehicles and trade-in offers.

Receipt is hereby acknowledged of addendum(s) No.(s) _____, _____ & _____.

In compliance with Chapter 39.34.030(5)b RCW a public notice for this solicitation for bids has been posted on Grant County's website at <http://www.co.grant.wa.us/>.

1. The Bidder will allow Grant County to purchase additional contract items at the original bid prices offered: Yes___ No___
2. The Bidder will allow other public agencies to purchase additional contract items at the original prices offered (RCW 39.34): Yes___ No___
3. The Bidder will allow modifications on contract items for additional purchase requests (subject to wholesale price adjustments agreeable to each public agency): Yes___ No___
4. The Bidder agrees to provide extended purchase options thru March 15, 2008 Yes___ *No___
*If "No" is checked please show acceptable extended purchase period:
5. The Bidder understands Grant County accepts no responsibility for the payment of any additional purchase requests made by other public agencies: Yes___ No___
6. The Bidder understands Grant County is not required to purchase additional contract items: Yes___ No___

Signature of Authorized Official(s)

Proposal Must Be Signed

Please Print Name of Authorized Official

Firm Name _____

Address _____

City, St, Zip _____

Voice (____) _____ Fax (____) _____

Email _____

State of Washington License No. _____

Federal ID No. _____

Note:

- (1) This proposal form is not transferable and any alteration entered hereon without prior permission from the County Engineer will be cause for considering the proposal irregular and subsequent rejection of the bid.
- (2) Should it be necessary to modify this proposal either in writing or by electronic means, please make reference to the following proposal number in your communication: **Equipment Contract 2008-02**

Proposal for Trade-ins - Signature Page

The Bidder for trade-in vehicles only (not including new vehicle dealers) is hereby advised that by signature of this proposal he/she is deemed to have acknowledged all requirements and signed all certificates contained herein.

A 5% proposal guarantee is required for the bid proposal for trade-ins.
(Please attach cashier's check or certified check.)

Receipt is hereby acknowledged of addendum(s) No.(s) _____, _____ & _____.

Additional terms:

- If the Bidder's offer to purchase used equipment is accepted by the County, the bidder understands he/she has 30 days to complete the sale after notification of the delivery of new vehicle
- The Bidder may be allowed to withdraw his/her offer if the used vehicle is damaged or has become mechanically unreliable and the value of used vehicle is reduced. In the event this happens the County and the Bidder may negotiate a new purchase price.
- The bidder will not be permitted to withdraw his/her offer do to increased mileage.

Signature of Authorized Official(s)

Proposal Must Be Signed

Please Print Name

Firm Name _____

Address _____

City, St, Zip _____

Voice (____) _____ Fax (____) _____

Email _____

Note:

- (1) This proposal form is not transferable and any alteration entered hereon without prior permission from the County Engineer will be cause for considering the proposal irregular and subsequent rejection of the bid.
- (2) Should it be necessary to modify this proposal either in writing or by electronic means, please make reference to the following proposal number in your communication: **Equipment Contract 2008-02**

CONTRACT

THIS AGREEMENT, made and entered into this _____ day of _____, 2008, between the Board of County Commissioners of Grant County, State of Washington, acting under and by virtue of Chapter 36.77 of the Revised Code of Washington, as amended, hereinafter called the County, and _____, for itself, its heirs, executors, administrators, successors and assigns, hereinafter called the Contractor.

WITNESSETH:

That in consideration of the payments, covenants, and agreements, hereinafter mentioned, and attached and made a part of this agreement, to be made and performed by the parties hereto, and the parties hereto covenant and agree as follows:

DESCRIPTION OF WORK:

1. The Contractor shall do all work and furnish all tools, materials, labor and equipment necessary to improve and complete **Equipment Contract 2008-02**, located in Grant County, Washington, as proposed in a bid opened **1:45 PM, Tuesday, January 29, 2008** in accordance with and as described in the herein attached plans and standard specifications, and in full compliance with the terms, conditions, and stipulations herein set forth and attached, now referred to any by such reference incorporated herein and made part hereof as fully for all purposes as if here set forth at length, and shall perform any alterations in or additions to the work covered by this contract and every part thereof and any force account work may be ordered as provided in this contract and every part thereof.
2. The Contractor shall provide and be at the expense of all materials, labor, carriage, tools, implements and conveniences and things of every description that may be requisite for the transfer of materials and for constructing and completing the work provided for in this contract and every part thereof.
3. The County hereby promises and agrees with the Contractor to employ, and does employ the Contractor to provide the materials and to do and cause to be done the above described work and to complete and finish the same according to the attached plans and specifications and the terms and conditions herein contained, and hereby contracts to pay for the same according to the attached specifications and the schedule of unit or itemized prices hereto attached, at the time and in the manner and upon the conditions provided for in this contract and every part thereof. The County further agrees to employ the Contractor to perform any alterations in or additions to the work covered by this contract and every part thereof and any force account work that may be ordered and pay for same under the terms of this contract and the attached plans and specifications.
4. The Contractor for himself, and for his heirs, executors, administrators and assigns, and successors and assigns, does hereby agree to the full performance of all the covenants herein contained upon the part of the Contractor.
5. It is further provided that no liability shall attach to the County by reason of entering into this contract, except as expressly provided herein.

IN WITNESS WHEREOF, the said Contractor has executed this instrument, and the said Board of County Commissioners of aforesaid County has caused this instrument to be executed by and in the name of said Board by its Members, duly attested by its Clerk, the day and year first above written, and the seal of said Board to be hereunto affixed on the date in this instrument first above written.

_____, 2008

Signature

Print Name

Firm Name

Address

City State Zip

(_____)_____
Phone

(County Seal)

ATTEST:

Clerk of the Board

APPROVED AS TO FORM:

____ day of _____, 2008

Prosecuting Attorney

**BOARD OF COUNTY COMMISSIONERS
OF GRANT COUNTY, WASHINGTON**

Chairman

Commissioner

Commissioner