


Grant County
PUBLIC WORKS DEPARTMENT

Derek Pohle, P.E.
Director of Public Works and
County Road Engineer
Ephrata (509) 754-6082

David N. Heilman
Assistant Director of Public Works
and County Road Engineer
Ephrata (509) 754-6082

Jeff Tincher, P.E.
Assistant County Road Engineer
Ephrata (509) 754-6082

Robert Bersanti
Design/Construction Engineer
Ephrata (509) 754-6082



Steve Hill, Supervisor
Road District No. 1
Ephrata (509) 754-6586

Dennis Collier, Supervisor
Road District No. 2
Moses Lake (509) 765-4172

John Brissey, Supervisor
Road District No. 3
Quincy (509) 787-2321

Jerome Wawers, Supervisor
Bridges
Ephrata (509) 754-6082

Janice Goeden
Solid Waste Supervisor
Ephrata (509) 754-4319

124 Enterprise St. S.E.
Ephrata, Washington 98823
(509) 754-6082; Fax (509) 754-6087

Sealed bids will be received for the following equipment:

Miscellaneous Equipment

Bid Opening
at
2:00 PM
March 1, 2011
at the
Office of the
Board of County Commissioners
Grant County Courthouse
35 C Street NW, Room 207
P.O. Box 37
Ephrata, WA 98823

NOTICE TO EQUIPMENT DEALERS

Sealed bids, plainly marked "**Bid for Miscellaneous Equipment, Equipment Contract 2011-02**", will be received by Grant County at the Office of the Board of County Commissioners located in the County Courthouse, 35 C Street NW - Room 207, P.O. Box 37, Ephrata, WA 98823, until **2:00 PM, Tuesday, March 1, 2011**, and will then and there be opened and publicly read for furnishing and delivering:

<u>Item #</u>	<u>Description</u>
1	Self-Propelled Power Broom (Dist 2)
2	10' Mid-mount Snow Plow (Dist 3)
3	60" Ditching Bucket w/quick hitch, side tilt (Bridge)
4	Wheel Balancer, motorized (Central Shop)
5	Service Box (Engineers)
6	Two 3 gal. Portable Fire Suppression System (Solid Waste)
7	10 gal. Mounted Fire Suppression System (Solid Waste)
8	4x4 All Terrain Vehicle w/trailer (Solid Waste)

Informational copies of the proposal and specifications are on file with the County Engineer in the Grant County Public Works Building, 124 Enterprise St. S.E., Ephrata, WA 98823.

Any bidder offering new equipment shall include in their proposal an offer to purchase the trade-in equipment. The County assumes the new equipment bidder's trade-in offer is a part of the bid including the new equipment. The bidder's trade-in offer will only be considered separately if the bidder grants permission to the County to consider their trade-in offer separately.

Any person or company may make an offer to purchase the trade-in equipment independent of a bid on the sale of the new equipment. Such offers shall be made on forms provided by the County. The bidders are advised that mileage will continue to accumulate at the current usage rate until replacements vehicles are delivered. The County is offering the following trade-ins:

Trade-Ins:

#2345 - 2002 Waldon Sweepmaster 250 power broom

Serial No. SM250-29634 License No.60150C Hours as of 9/30/09: 2,500 est.

This power broom may be inspected at Dist 2 Shop near Moses Lake, WA., 12171 Rd 3 NE, Monday through Thursday between 10:00 am and 3:00 pm. (509) 765-4172

1985 Coats 850 Wheel Balancer

This wheel balancer may be inspected at Central Shop, 124 Enterprise St. SE, Ephrata, WA, Monday through Thursday between 10:00 am and 3:00 pm. (509) 754-6086

All equipment is offered "AS IS". Prospective buyers may view the equipment at the convenience of the operator. Please call the department to make arrangements to inspect the vehicle. All equipment is operating and currently in-service. Central Shop (509)754-6086.

The Board of County Commissioners reserves the right to reject or accept any or all portions of the bids received.

INSTRUCTIONS TO BIDDERS

- 1) Sealed bids, plainly marked "**Bid for Miscellaneous Equipment, Equipment Contract 2011-02**", will be received by Grant County at the Office of the Board of County Commissioners located in the County Courthouse, P.O. Box 37, 35 C Street NW - Room 207, Ephrata, WA, 98823, until **2:00 PM, March 1, 2011**, and will then and there be opened and publicly read for the construction of the improvements.
- 2) The Bidder may submit a bid on any or all items listed. If the Bidder does not wish to bid any particular item or items, please write "**NO BID**" on the appropriate proposal sheet.
- 3) Multiple bids for the same item may be made by the Bidder. Please copy the appropriate proposal sheet(s) for the item(s) to be bid with more than one model. The proposal for each item bid must be completed. Please number the proposal sheets accordingly.
- 4) The proposal must be completed and the proposal signature sheet must be signed.
- 5) An informational copy of the contract is provided to the Bidder. Please read it but do not sign it.
- 6) All exceptions or changes to the specifications must be shown on the proposal sheet(s) in the space provided or attached to the proposal sheet.
- 7) The Board of County Commissioners reserves the right to reject or accept all or part of the proposal submitted by the Bidder.
- 8) Bidders are advised that the unit price bid for each new item will be compared with current State or other public agency contract prices for similar vehicles. After said comparison the County may reject or accept all or part of the proposal submitted by the Bidder and purchase items directly from the State or other public agency contracts.
- 9) Trade-in equipment is offered for sale in this contract. Bidders offering new equipment are required to make an offer on the trade-in equipment listed, but can choose to restrict their offer to the award of the contract. Interested parties that are not offering new equipment may submit a bid for one or more trade-in equipment listed. A 5% bid security is required for offers made on all trade-ins from bidders not offering new vehicles or equipment. Although no minimum bids are reserved the County will compare trade-in offers to reliable publications or other sources.

Interested parties bidding for trade-in equipment only are required to post a 5% deposit based on the bid amount offered for the equipment. The deposit will be held until the purchaser provides the whole amount for all vehicles awarded to the high bidder. If the purchaser fails to pay for the awarded vehicles within the allotted time, the deposit shall be forfeited to the County.

GENERAL CONDITIONS

1. The attached specifications are for the purpose of providing details regarding the type of product desired by Grant County. Equal or similar products from reputable manufacturers and suppliers are permitted. Grant County shall be the final determiner of product equivalence.
2. The Bidder has 15 days from the date of award to sign and return the contracts. Failure to sign and return the contracts may result in the loss of the contract to the Bidder. No performance bond is required for this bid proposal.
3. Grant County shall pay State sales and use taxes on all products purchased. The Bidder shall not include taxes in the bid price and shall show state sales taxes as a separate item in the space provided.
4. Grant County is a political subdivision of the State of Washington and is exempt from paying all Federal excise taxes. The Bidder shall furnish Federal excise tax exemption certification when applicable. All other taxes and costs of business shall be borne by the Bidder and included in the base price.
5. All products shall conform to applicable Federal and State safety and health laws, rules and regulations.

BID EVALUATIONS

1. Bid evaluations shall include, but not be limited by, the following criteria:
 - a. Price (*may include life cycle*)
 - b. Quality of product
 - c. Conformance to specifications
 - d. Prompt service and parts availability
 - e. Training
 - f. Bidder's previous contract experience
 - g. Public's best interest.

SUBMISSIONS

1. Bidders are advised to submit the following with each bid item:
 - a. Descriptive literature.
 - b. Complete operating dimensions and sketches of the proposed unit.
 - c. Complete information detailing engines, engine accessories, transmissions, frame, axles, electrical components, cab, differentials, drivelines, hydraulic systems, and appurtenances for each unit bid.
2. The Bidder may submit any other information that may assist Grant County in evaluating the bid.

FULL SERVICE FACILITY

A full service facility is defined as the location with spare parts available to Grant County within 24 hours from 8:00 AM to 5:00 PM, Monday thru Friday.

WARRANTY

The Bidder must state the warranty period on all items bid. Grant County may require a minimum warranty period. Within the warranty period the successful Bidder shall replace all parts and perform all repairs which are required or made necessary due to defective design, materials,

workmanship, or non-conformance with the specifications. Unless otherwise noted, the Bidder shall perform all warranty repairs at the Bidder's place of business. Grant County shall deliver and retrieve defective equipment at the Bidder's place of business. All repairs shall have the warranty reinstated for the remaining period.

OPERATOR'S, PARTS AND SERVICE MANUALS

The Bidder shall furnish operator's manuals, service manuals and parts manuals as specified in the proposal. **Manuals must be delivered to Grant County before product delivery is considered complete.**

DELIVERY, INSPECTION AND ACCEPTANCE

All equipment shall be new and the manufacturer's latest model. All standard equipment shall be furnished with the unit. The unit and mounted equipment, if any, shall be serviced, comply with all specifications, and be in full working order for the purpose it was designed at the time of delivery.

Grant County will accept delivery between the hours of 8:00 AM to 3:30 PM, Monday thru Thursday only. Unless otherwise noted, deliveries shall be F.O.B. Grant County. The Bidder will be required to obtain a delivery address and time from the County Engineer, or his designated representative, for each piece of equipment. The Bidder, or his representative, is requested to be present at the time of delivery.

TRAINING

1. The Bidder and manufacturer's representatives must be able to provide sufficient training to Grant County personnel to operate, service and repair the equipment. The training should occur in Grant County. Training shall include all labor, equipment, materials, tools, travel and other expenses needed to provide a complete service. The Bidder may show a minimum number of training hours for each category. Failure to offer any training will be a consideration in the bid evaluation process
2. The Bidder shall state the number of hours and the cost per hour for each category of training on the proposal form in the space provided.
3. Training is an additive cost to the contract. The Bidder shall not include training costs in the base bid of the proposal. Grant County is not obligated to use the training offered by the Bidder, however, should Grant County desire to utilize the training programs offered those costs will be added to the contract..

LATE DELIVERY

No penalty for late delivery will be assessed against the Bidder. However, the Bidder is advised that the failure to deliver the equipment before the promised date will be a consideration used at succeeding bid proposal evaluations.

TRADE-INS

Grant County is not obligated to accept the trade-in offer and may accept new equipment bid without the trade-in offer. The trade-in offer itself will be assumed to be a part of the whole item and will not be considered separately unless the Bidder clearly states the trade-in offer may be considered separately. Bids for trade-ins only will be considered separately.

PROPOSAL Bid Item No. 1

BID ALTERNATE # _____

<u>Description</u>	<u>Quantity</u>	<u>Unit Price</u>	<u>Amount</u>
Furnish and deliver self-propelled power broom F.O.B. Grant County, WA	1	\$ _____	\$ _____
		Trade-in #2345	(\$ _____)
		Subtotal	\$ _____
Dealer Bid Only: Trade-in offer may be considered separately? Yes _____ No _____		_____% SST	\$ _____
		TOTAL BID	\$ _____

Make and Model: _____
 Warranty Period: _____
 Delivery:: _____

Self-Propelled Power Broom Specifications

The successful bidder will furnish and deliver a self-propelled power broom designed to sweep excess aggregates and debris from road surfaces. This specification is patterned after the Broce RJ 350.

General

List or confirm specifications & changes:

- BASE BID:
- 2011 model year _____
 - Enclosed Roll Over Cab Structure complying with ISO3471 _____
 - Main Frame - All Welded 6" Channel _____
 - Heavy Structural Steel with Gussets at Stress Points _____
 - 6" Rectangular Tubing - Front and Rear Bumpers _____
 - Weight (standard unit) - 5,000 lbs. _____
 - Overall Length - 172 inches _____
 - Overall Width for Transport - 96 inches _____
 - Overall Height - 102 inches _____
 - Inside Turning Radius - 13 feet _____
 - Brakes - Equipped with Dual Master Cylinder, Four Wheel Hydraulic Self Adjusting on Rear and Disc on Front, and Mechanical Parking Brake _____
 - Brush Core - 8' all Steel Welded Construction _____
 - Brush Filler - 10" x 32" Wafers - Prostran _____
 - Sweeping Width - 96" _____
 - Brush Drive - Direct Drive Motor enclosed in Core, 192 RPM under load _____
 - Core Cover - 140 degrees 14 Gauge Steel with Rock Deflector _____
 - Swing Frame - Mounted on 9 Heavy Duty Sealed Ball Bearings _____
 - Sweeping Angle - 45 degrees Left or Right _____
 - Broom Controls - Single Lever Joystick Control Valve w/Adjustable Down Pressure and Float Position _____
 - Hydraulic Tank Capacity - 27 US Gallons w/100 Mesh Suction Strainer _____
 - Operating Pressure - 3,000 PSI _____
 - Pump Capacity - 26 GPM at 2600 RPM _____
 - Filter - Two 10 Micron Replaceable Element (suction and return) _____
 - Fuel Capacity - 27 US Gallons _____
 - Front Axle - Heavy Duty Oscillating w/Disc Brakes _____
 - Rear Axle - Dana Heavy Duty Truck Type w/Drum Brakes _____
 - Wheels - 6 x 16 – 6 Bolt on 5 1/2 Centers _____
 - Tires - LT225X75X 16 Load Range E _____

- Steering - Orbital Type Power Steering _____
- Padded Seat with Arm Rest and Seat Belts Complies with ISO 6683 _____
- Cross-Link Electrical Wiring Complies with SAE J-1128 _____
- Instruments and Controls - Water Temperature, Oil Pressure, Volt Meter, Tachometer, Hour Meter, Fuel Gauge, Reverse Alarm, Rear View Mirror, Controls for Broom Drive, Core Angling, Core Height, Electric Core Lock, Engine Throttle, Brakes, Directional Control, Parking Brake with Engaging Light, Traffic Horn _____
- Transmission - Sauer-Danfoss Hydrostatic Pump and Motor coupled to a 2-Speed Gearbox with Neutral Shift for Towing. Low Gear 13 MPH, High Gear 34 MPH _____
- Air Cleaner - Donaldson Dual Element Type with Precleaner _____
- Engine Options: RJ-350 _____
4.5L Turbocharged John Deere Diesel, 4 Cylinder, 80 HP @2400 _____
- Two operator's manuals to be provided at time of delivery _____
- Two parts and two service CD's to be provided at time of delivery (paper manuals acceptable) _____
- Color: Manufacturer's standard _____
- Written guarantee to cover all repairs, including parts, labor, materials, except transport, for a 12 month period after the date of delivery (please attach all warranty information) _____
- List or attach other factory standard equipment or literature _____

OPTIONAL EQUIPMENT: (List additional prices for options here. Do not include sales tax. Please do not include price of options in base bid.)

- 150 Gallon Water Sprinkling System w/Poly Tank \$ _____
- Tilt & Telescoping Steering \$ _____
- Front and Rear Fenders \$ _____
- Battery Disconnect \$ _____
- 7½ ft. scraper blade with hydraulic lift and angle right or left, quick couplers, field detachable for towing, with replaceable bolt-on high carbon cutting edge \$ _____
- Light Group - LED Turn Signals, Warning Lights, Taillights, and Halogen Headlights \$ _____
- Work Light Package - Side and Rear _____
- Whelen S360D strobe w/4 pattern controller mounted in cab \$ _____
- Turbo II Precleaner or Sy-Klone \$ _____
- Extension Air Cleaner Stack \$ _____
- Spare Tire with Mount \$ _____
- Enclosed Cab with Safety Glass and Wiper \$ _____
- Cab Heater and Defroster Plenum \$ _____
- Pressurized Air Conditioning \$ _____
- Front and Rear Windshield Wipers \$ _____
- Windshield Washers - Front and Rear \$ _____
- Hydraulic Temperature Gauge \$ _____
- Tow Hitch with Safety Chains for 2-5/15" ball \$ _____
- Suspension Seat with Arm Rests \$ _____
- Audible Engine Alarm System \$ _____

- Hydrostatic Hand Control \$ _____
- Heavy Duty Rear Axle \$ _____
- Curb and gutter broom, 27" diameter with hydraulic lift, float and down pressure, reversible hydraulic motor \$ _____
- Safety Engine Shut Down System \$ _____
- AM/FM Stereo Package \$ _____
- Vari-Speed Brush \$ _____

Trade-In:

#2345 - 2002 Waldon Sweepmaster 250 power broom
 Serial No. SM250-29634 License No.60150C Hours as of 9/30/09: 2,500 est.

Nearest service outlet for warranty repairs:

Company: _____ Contact: _____
 Street: _____ Phone: (____) _____
 City: _____ Fax: (____) _____
 State: _____ Zip _____ Email: _____

Proposed customer training:

Operator _____ hrs @ \$ _____/hr
 Service _____ hrs @ \$ _____/hr
 Mechanical _____ hrs @ \$ _____/hr
 Location Ephrata

Replaces: #2345 (Dist 2)

PROPOSAL Bid Item No. 2

BID ALTERNATE # _____

<u>Description</u>	<u>Quantity</u>	<u>Unit Price</u>	<u>Amount</u>
Furnish and deliver dump truck mid-mount wing plow F.O.B. Grant County, WA	1	\$ _____ _____ % SST	\$ _____ \$ _____
		TOTAL BID	\$ _____

Make and Model: _____
 Warranty Period: _____
 Delivery: _____

Dump truck mid-mount wing plow specifications

The successful bidder will furnish, deliver and install dump truck mid-mount wing plow for snow plowing. This specification is patterned after the Henke HDPW 10-H Mid-Mount Wing Plow.

General

List or confirm specifications & changes:

- 2008 model year. _____
- Mid-mount wing with post/hitch assembly _____
- 10' moldboard length with adjustable plow angles _____
- 3/16" hi-tensile steel moldboard _____
- Pivot pin with 2" OD x 1½ " ID x 3.25" steel bushing _____
- Moldboard actuated by double acting 4" x 20.75" hydraulic cylinder _____
- Weight as designed by manufacturer. Please list weight _____
- Slide plate of ½" plate steel _____
- Slide actuated by double acting 4" x 18" hydraulic cylinder _____
- 18" inboard moldboard float _____
- ¾" x 6" cutting edges with high carbon steel inserts and replaceable nose bit. List bit length _____
- 18" benching height _____
- Color: Manufacturer's standard _____
- All factory standard equipment and warranties including:
 Provide two repair, two parts, and two operator's manuals at time of delivery. _____
 12 Month Warranty (minimum) _____
- Successful bidder shall mount and make mid-mount wing plow fully operational to existing county truck #3680, a 1997 Ford LT9000 10/12 cy dump truck with Henke two-way snow plow. The bidder shall provide and install new controls, valve(s) and parts necessary for a complete installation. The successful bidder shall pickup and return the truck from Grant County's Central Shop located at 124 Enterprise St. SE, Ephrata, WA _____

Trade-In: None

Nearest service outlet for warranty repairs:

Company: _____ Contact: _____
 Street: _____ Phone: (_____) _____
 City: _____ Fax: (_____) _____
 State: _____ Zip _____ Email: _____

Proposed customer training:

Operator _____ hrs @ \$ _____/hr
 Service _____ hrs @ \$ _____/hr
 Mechanical _____ hrs @ \$ _____/hr
 Location Ephrata, WA

PROPOSAL Bid Item No. 3

BID ALTERNATE # _____

<u>Description</u>	<u>Quantity</u>	<u>Unit Price</u>	<u>Amount</u>
Furnish and deliver 60" ditching bucket w/quick hitch F.O.B. Grant County, WA	1	\$ _____	\$ _____
		_____% SST	\$ _____
		TOTAL BID	\$ _____

Make and Model: _____
 Warranty Period: _____
 Delivery:: _____

60" Ditching Bucket with quick hitch

The selected bidder is expected to furnish and deliver a 60" ditching bucket with quick hitch designed to fit a John Deere 160CLC Excavator. This specification is patterned after the CWS Model 160-60 Ditching Bucket.

General

List or confirm specifications & changes:

- 2011 model year _____
- 60" Ditching Bucket Width _____
- 3/4 cubic yard struck capacity _____
- Double radius shell for reduced heel wear _____
- Double taper draft prevents material hang up inside the bucket _____
- Dual box section reinforcing _____
- Supplied with drilled base edge _____
- Lip, corner plates and edges feature AR 400 plate as the wear bars _____
- Two parts, two service, and two operator's manuals to be provided at time of delivery _____
- Color: Manufacturer's standard _____
- Written guarantee to cover all repairs, including parts, labor, materials, except transport, for a 12 month period after the date of delivery (please attach all warranty information) _____
- List or attach other factory standard equipment or literature _____

OPTIONAL EQUIPMENT: (List additional prices for options here. Do not include sales tax. Please do not include price of options in base bid.)

Please list price for option:

- Side Tilting bucket with 45 degree tilting left and right from center position,
 Dual hydraulic cylinders,
 Successful bidder shall mount and make ditching bucket fully operational to existing county excavator John Deere 160 CLC and shall provide and install new controls, valve(s) and parts necessary for a complete installation.
 In necessary, the successful bidder shall pickup and return the excavator from Grant County's Central Shop located at 124 Enterprise St. SE, Ephrata, WA,
 Two parts, two service, and two operator's manuals to be provided at time of delivery \$ _____

Trade-In: None

Nearest service outlet for warranty repairs:

Company: _____ Contact: _____
Street: _____ Phone: (____) _____
City: _____ Fax: (____) _____
State: _____ Zip _____ Email: _____

Proposed customer training:

Operator _____ hrs @ \$ _____/hr
Service _____ hrs @ \$ _____/hr
Mechanical _____ hrs @ \$ _____/hr
Location Ephrata

Replaces: Fleet Add (Bridge)

PROPOSAL Bid Item No. 4

BID ALTERNATE # _____

<u>Description</u>	<u>Quantity</u>	<u>Unit Price</u>	<u>Amount</u>
Furnish and deliver wheel balancer F.O.B. Grant County, WA	1	\$ _____ Trade-in \$\$ _____ _____% SST _____ TOTAL BID _____	\$ _____ (\$ _____) \$ _____ \$ _____

Make and Model: _____
 Warranty Period: _____
 Delivery:: _____

Wheel Balancer, Motorized

The selected bidder is expected to furnish and deliver a motorized wheel balancer designed to balance tires. This specification is patterned after the Snap-on EEWB304C Wheel Balancer, Motorized.

General

List or confirm specifications & changes:

- 2011 model year _____
- Easy to use display panel includes individual keys for parameter input _____
- Static mode for single-plane narrow wheels _____
- Dynamic mode for dual-plane balancing _____
- Dual Parameter Entry via SAPE arm for distance and diameter _____
- 5 ALU-S Modes provide multiple combinations of hammer and adhesive weight placements _____
- ALU-S Mode provides two-plane ALU weight placement _____
- Match Mount-Optimization Feature determines proper phasing between tire and wheel and allows minimal weight usage _____
- Hidden Weight Mode for weight placement behind spokes _____
- Multiple Operator Feature stores parameters for up to four individual operators _____
- Fine Weight Toggle allows operator to choose between 0.25 oz. Standard mode and 0.05 oz. Fine mode _____
- Allows use of common adaptors and pin plates _____
- Accuracy at 0.10 ounces _____
- Rim diameter 8 - 30 inches _____
- Rim width 3 - 25 inches _____
- Maximum tire diameter 44 inches _____
- Maximum tire width 20 inches _____
- Maximum wheel weight 154 pounds _____
- Shaft speed at calculation <200 rpm _____
- Cycle time <7 seconds _____
- 115 VAC, single phase, 60 Hz, 15 amps _____
- Shipping weight 325 pounds _____
- Two parts, two service, and two operator's manuals to be provided at time of delivery _____
- Color: Manufacturer's standard _____
- Written guarantee to cover all repairs, including parts, labor, materials, except transport, for a 12 month period after the date of delivery (please attach all warranty information) _____
- Other factory standard equipment:
 - EAM0003J05A Small Cone - 1.70" to 2.54" _____
 - EAM0003J06A Medium Cone - 2.18" to 2.97" _____

EAM0003J07A Large Cone - 2.80" to 3.60"	_____
EAM0003J08A Truck Cone - 3.36" to 5.20"	_____
EAA0263G66A Quick Nut 40mm	_____
EAC0058D07A Pressure Cup	_____
EAC0058D08A Pressure Disk	_____
EAC0058D15A Rubber Protector	_____
EAM0021D90A Stub Shaft 40mm	_____
8-01050A Wrench	_____
EAA0247G21A Rim Width Caliper	_____
EAM005D40A Calibration Weight	_____

Trade-In:

Coats 850 Wheel Balancer. 1985 model year.

Nearest service outlet for warranty repairs:

Company: _____ Contact: _____
 Street: _____ Phone: (____) _____
 City: _____ Fax: (____) _____
 State: _____ Zip _____ Email: _____

Proposed customer training:

Operator ____ hrs @ \$ ____/hr
 Service ____ hrs @ \$ ____/hr
 Mechanical . . . ____ hrs @ \$ ____/hr
 Location Ephrata

Replaces: Coats 850 (Central Shop)

PROPOSAL Bid Item No. 5

BID ALTERNATE # _____

<u>Description</u>	<u>Quantity</u>	<u>Unit Price</u>	<u>Amount</u>
Furnish and deliver service box F.O.B. Grant County, WA	1	\$ _____ _____ % SST	\$ _____ \$ _____
		TOTAL BID	\$ _____

Make and Model: _____
 Warranty Period: _____
 Delivery:: _____

Service Box

The selected bidder is expected to furnish and deliver a service box designed to store tools and instruments in the field and fit a 2011 Ford F350 Crew Cab and Chassis. This specification is patterned after the Knapheide 7108J Standard Service Box

General

List or confirm specifications & changes:

- 2011 model year _____
- Door configuration similar to Knapheide 7108J Service Body _____
- Doors with Three Point Stainless Twist Latch T-handles _____
- Torsion Box Floor for Standard Bodies _____
- Fuel Fill Cutouts and Aluminum Fuel Fill Cups to match Chassis
Manufacturer _____
- Chrome Plated Grab Handles mounted on rear of service box _____
- Flush Mount LED w/Amber Turn Light Kit for Stop/Turn/Backup
Lights _____
- Center Surface Mount LED Stop Light Kit for Tailgate _____
- Master Locking System _____
- Spare Tire Retainer _____
- Galva-Grip Bumper with Ball Hitch Recess, Painted Black _____
- Mud and Stone Guard _____
- Fuel Hose Guard _____
- Fenderette Kit _____
- Mud Flaps, Rubber, Rear (DLR) * _____
- All parts and instructions needed to install the equipment
correctly _____
- Two parts, two service, and two operator's manuals to be
provided at time of delivery _____
- Color: Match chassis manufacturer's color _____
- Written guarantee to cover all repairs, including parts, labor,
materials, except transport, for a 12 month period after the
date of delivery (please attach all warranty information) _____

Note: Installation will be performed by county personnel. The successful bidder shall provide assistance to the county for all questions that me arise.

Trade-In: None

Nearest service outlet for warranty repairs:

Company: _____ Contact: _____
 Street: _____ Phone: (_____) _____
 City: _____ Fax: (_____) _____
 State: _____ Zip _____ Email: _____

Proposed customer training:

Operator _____ hrs @ \$ _____/hr
 Service _____ hrs @ \$ _____/hr
 Mechanical _____ hrs @ \$ _____/hr
 Location Ephrata

Replaces: Knapheide 696J1 (Engineers)

PROPOSAL Bid Item No. 6

BID ALTERNATE # _____

<u>Description</u>	<u>Quantity</u>	<u>Unit Price</u>	<u>Amount</u>
Furnish and deliver 3 gallon portable fire suppression system F.O.B. Grant County, WA	2	\$ _____ _____ % SST	\$ _____ \$ _____
		TOTAL BID	\$ _____

Make and Model: _____
 Warranty Period: _____
 Delivery: _____

3 Gallon Portable Fire Suppression System

The selected bidder is expected to furnish and deliver two 3 gallon portable fire suppression systems designed to suppress flammable or hazardous chemical spills. This specification is patterned after the Tri-Max 3 Mini-CAF Hand Held System.

General

List or confirm specifications & changes:

- 2011 model year _____
- 3 gallon tank, up to 60 gallons of finished foam _____
- Variable foam expansion from 10:1 to 20:1 _____
- Rechargeable in the field _____
- Discharge distance up to 45 feet _____
- Height: 26", Width : 9.5" _____
- Empty weight: 20 pounds _____
- Discharge flow rate: 90 gal/minute _____
- 6 cu. ft. air cylinder, 3000 psi _____
- 140 psi operating pressure _____
- 3/8" x 20" hard rubber dispensing hose _____
- 1/4" x 7.5" air pressure hose, 3000 psi _____
- Backpack _____
- Shoulder strap _____
- Extra 6 cu. ft. air cylinder _____
- Two parts, two service, and two operator's manuals to be provided at time of delivery _____
- Written guarantee to cover all repairs, including parts, labor, materials, except transport, for a 12 month period after the date of delivery (please attach all warranty information) _____

Trade-In: None

Nearest service outlet for warranty repairs:

Company: _____ Contact: _____
 Street: _____ Phone: (____) _____
 City: _____ Fax: (____) _____
 State: _____ Zip _____ Email: _____

Proposed customer training:

Operator hrs @ \$ _____/hr
 Service hrs @ \$ _____/hr
 Mechanical hrs @ \$ _____/hr
 Location Ephrata

Replaces: New (Solid Waste)

PROPOSAL Bid Item No. 7

BID ALTERNATE # _____

<u>Description</u>	<u>Quantity</u>	<u>Unit Price</u>	<u>Amount</u>
Furnish and deliver 10 gallon mounted fire suppression system F.O.B. Grant County, WA	1	\$ _____ _____ % SST	\$ _____ \$ _____
		TOTAL BID	\$ _____

Make and Model: _____
 Warranty Period: _____
 Delivery: _____

10 Gallon Mounted Fire Suppression System

The selected bidder is expected to furnish and deliver one 10 gallon mounted fire suppression systems designed to suppress flammable or hazardous chemical spills. This specification is patterned after the Tri-Max 10-CAF System.

General

List or confirm specifications & changes:

- 2011 model year _____
- 10 gallon tank, up to 200 gallons of finished foam _____
- Variable foam expansion from 10:1 to 20:1 _____
- ½" Pistol Grip Style Discharge System _____
- Discharge distance up to 35 feet _____
- Height: 13.5", Width :31", Depth: 15" _____
- Empty weight: 40 pounds _____
- Discharge flow rate: 90 gal/minute _____
- 19 cu. ft. air cylinder, 3000 psi _____
- 140 psi operating pressure _____
- ½" x 50" external dispensing hose _____
- Hose reel for 50' hose _____
- Additional 19 cu. ft. air cylinder _____
- Include valve(s), mount, hardware, funnel, adaptor, purge kit _____
- 5 gallons FireAde 2000 freeze protected AFFF foam good to -40°F _____
- Two parts, two service, and two operator's manuals to be provided at time of delivery _____
- Written guarantee to cover all repairs, including parts, labor, materials, except transport, for a 12 month period after the date of delivery (please attach all warranty information) _____

Trade-In: None

Nearest service outlet for warranty repairs:

Proposed customer training:

Company: _____	Contact: _____	Operator hrs @ \$ _____/hr
Street: _____	Phone: (_____) _____	Service hrs @ \$ _____/hr
City: _____	Fax: (_____) _____	Mechanical hrs @ \$ _____/hr
State: _____ Zip _____	Email: _____	Location Ephrata

Replaces: New (Solid Waste)

PROPOSAL Bid Item No. 8

BID ALTERNATE # _____

<u>Description</u>	<u>Quantity</u>	<u>Unit Price</u>	<u>Amount</u>
Furnish and deliver 4x4 all terrain vehicle w/utility cart F.O.B. Grant County, WA	1	\$ _____ _____ % SST	\$ _____ \$ _____
		TOTAL BID	\$ _____

Make and Model: _____
 Warranty Period: _____
 Delivery:: _____

4x4 All Terrain Vehicle w/utility cart

The selected bidder is expected to furnish and deliver one 4x4 all terrain vehicle w/utility cart . This specification is patterned after the John Deere XUV 4x4 Gator with trailer.

General

List or confirm specifications & changes:

- 2011 model year _____
- On demand true 4WD _____
- Premium cab frame including roof, windshield, wiper, electrical kit and rear window _____
- Heater, windshield defroster _____
- 4-cycle diesel 3 cylinder 854 cc OHV engine (24 HP) _____
- Compression ignition _____
- Screw on oil filter _____
- Liquid cooling system _____
- Dry, single element air cleaner _____
- Continuously Variable Transmission _____
- Two-speed Transaxle, oil bath _____
- 0-32 mph forward (Hi), 0-17 forward (Lo) _____
- 480 CCA Battery _____
- 40 amp Alternator _____
- Two 37.5 watt halogen Headlights _____
- 5.3 gallon Fuel Tank _____
- Front/rear hydraulic disk brakes _____
- Hand-operated, sealed wet disk parking brake _____
- Fully Independent Dual A-Arm front suspension with adjustable coils, 8" travel _____
- Fully Independent Dual A-Arm rear suspension with adjustable coils and sway bar, 9" travel _____
- Rack and Pinion Steering _____
- 12.4 ft. Turning radius _____
- Front Hitch: Standard 2-in receiver _____
- Rear Hitch: Standard 2-in receiver _____
- Occupant Protective System (OPS) with Passenger grab handles, seat belts _____
- 11" Ground Clearance _____
- 119" length, 62" width, 75" height _____
- 79" Wheelbase _____
- 1,650 pound weight _____
- Seating Capacity: 2 _____
- High back bucket seat, tilt forward _____
- Towing Capacity: 1500 lbs. _____
- Payload Capacity: 1400 lbs _____
- Cargo Box - Polypropylene side panels and tailgate, steel floor and load guard, 45" L x 52" W x 12" D _____

Volume: 16.4 cu. ft., Manual dump with lift assist shock
(factory installed power lift option)

Tailgate Hinged at bottom, removable

- Front tires: 26x9-12 Ancla M-T (Extreme Terrain) _____
- Rear tires: 26x11-12 Ancla M-T (Extreme Terrain) _____
- Color: Olive/Black _____
- Utility cart: _____
 17 cu. ft. capacity
 1000 lb. load limit
 Heavy-duty reinforced structural frame to handle weight,
 speed and bumps,
 Double sealed, high speed roller bearings to handle 30
 mph max speed
 Positive lock to prevent accidental unlocking while in use
 Heavy-duty polyethylene bed
 Accepts dividers to separate cargo (template included)
 All-terrain knobby tires
 Provides good flotation and traction in mud, sand, and
 other wet or soft areas, Flexes over bumps and ruts for a
 smoother, more controlled ride. Minimizes ground compaction
 to save turf and prevent ruts in soft ground,
 Poly fenders to keep the operator, cart, and vehicle clean _____
- Two parts, two service, and two operator's manuals to be
 provided at time of delivery _____
- Written guarantee to cover all repairs, including parts, labor,
 materials, except transport, for a 12 month period after the
 date of delivery (please attach all warranty information) _____

Trade-In: None

Nearest service outlet for warranty repairs:

Company: _____ Contact: _____
 Street: _____ Phone: (____) _____
 City: _____ Fax: (____) _____
 State: _____ Zip _____ Email: _____

Proposed customer training:

Operator hrs @ \$ _____/hr
 Service hrs @ \$ _____/hr
 Mechanical hrs @ \$ _____/hr
 Location Ephrata

Replaces: New (Solid Waste)

Non-Collusion Declaration

I, by signing the proposal, hereby declare, under penalty of perjury under the laws of the United States that the following statements are true and correct:

1. That the undersigned person(s), firm, association, or corporation has (have) not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with the project for which this proposal is submitted.
2. **That by signing the signature page of this proposal, I am deemed to have signed and have agreed to the provisions of this declaration.**

Proposal for New Equipment - Signature Page

The Bidder supplying new vehicles and trade-in offers is hereby advised that by signature of this proposal he/she is deemed to have acknowledged all requirements and signed all certificates contained herein.

No proposal guaranty is required for this bid proposal offering new vehicles and trade-in offers.

Receipt is hereby acknowledged of addendum(s) No.(s) _____, _____ & _____.

In compliance with Chapter 39.34.030(5)b RCW a public notice for this solicitation for bids has been posted on Grant County's website: <http://www.grantcountyweb.us/GCPW/index.htm>

- The Bidder will allow Grant County to purchase additional contract items at the original bid prices offered: Yes____ No____
- The Bidder will allow other public agencies to purchase additional contract items at the original prices offered (RCW 39.34): Yes____ No____
- The Bidder will allow modifications on contract items for additional purchase requests (subject to wholesale price adjustments agreeable to each public agency): Yes____ No____
- The Bidder agrees to provide extended purchase options thru March 15, 2008 ... Yes____ *No____
*If "No" is checked please show acceptable extended purchase period: _____
- The Bidder understands Grant County accepts no responsibility for the payment of any additional purchase requests made by other public agencies: Yes____ No____
- The Bidder understands Grant County is not required to purchase additional contract items: Yes____ No____

Signature of Authorized Official(s)

PROPOSAL MUST BE SIGNED → _____

Please Print Name of Authorized Official

Firm Name _____

Address _____

City, St, Zip _____

Voice (____) _____ Fax (____) _____

Email _____

State of Washington License No. _____

Federal ID No. _____

- Note:
- (1) This proposal form is not transferable and any alteration entered hereon without prior permission from the County Engineer will be cause for considering the proposal irregular and subsequent rejection of the bid.
 - (2) Should it be necessary to modify this proposal either in writing or by electronic means, please make reference to the following proposal number in your communication: **Equipment Contract 2011-02**

Proposal for Trade-ins - Signature Page

The Bidder for trade-in vehicles only (not including new vehicle dealers) is hereby advised that by signature of this proposal he/she is deemed to have acknowledged all requirements and signed all certificates contained herein.

A 5% proposal guarantee is required for the bid proposal for trade-ins.
(Please attach cashier's check or certified check.)

Receipt is hereby acknowledged of addendum(s) No.(s) _____, _____ & _____.

Additional terms:

- If the Bidder's offer to purchase used equipment is accepted by the County, the bidder understands he/she has 30 days to complete the sale after notification of the delivery of new vehicle.
- The Bidder may be allowed to withdraw his/her offer if the used vehicle is damaged or has become mechanically unreliable and the value of used vehicle is reduced. In the event this happens the County and the Bidder may negotiate a new purchase price.
- The bidder will not be permitted to withdraw his/her offer do to increased mileage.

Signature of Authorized Official(s)

PROPOSAL MUST BE SIGNED → _____

Please Print Name

Firm Name _____

Address _____

City, St, Zip _____

Voice (____) _____ Fax (____) _____

Email _____

- Note:
- (1) This proposal form is not transferable and any alteration entered hereon without prior permission from the County Engineer will be cause for considering the proposal irregular and subsequent rejection of the bid.
 - (2) Should it be necessary to modify this proposal either in writing or by electronic means, please make reference to the following proposal number in your communication: **Equipment Contract 2011-02**

CONTRACT

THIS AGREEMENT, made and entered into this _____ day of _____, 2011, between the Board of County Commissioners of Grant County, State of Washington, acting under and by virtue of Chapter 36.77 of the Revised Code of Washington, as amended, hereinafter called the County, and _____, for itself, its heirs, executors, administrators, successors and assigns, hereinafter called the Contractor.

WITNESSETH:

That in consideration of the payments, covenants, and agreements, hereinafter mentioned, and attached and made a part of this agreement, to be made and performed by the parties hereto, and the parties hereto covenant and agree as follows:

DESCRIPTION OF WORK:

1. The Contractor shall do all work and furnish all tools, materials, labor and equipment necessary to improve and complete **Miscellaneous Equipment, Equipment Contract 2011-02**, located in Grant County, Washington, as proposed in a bid opened **2:00 PM, Tuesday, March 1, 2011** in accordance with and as described in the herein attached plans and standard specifications, and in full compliance with the terms, conditions, and stipulations herein set forth and attached, now referred to any by such reference incorporated herein and made part hereof as fully for all purposes as if here set forth at length, and shall perform any alterations in or additions to the work covered by this contract and every part thereof and any force account work may be ordered as provided in this contract and every part thereof.
2. The Contractor shall provide and be at the expense of all materials, labor, carriage, tools, implements and conveniences and things of every description that may be requisite for the transfer of materials and for constructing and completing the work provided for in this contract and every part thereof.
3. The County hereby promises and agrees with the Contractor to employ, and does employ the Contractor to provide the materials and to do and cause to be done the above described work and to complete and finish the same according to the attached plans and specifications and the terms and conditions herein contained, and hereby contracts to pay for the same according to the attached specifications and the schedule of unit or itemized prices hereto attached, at the time and in the manner and upon the conditions provided for in this contract and every part thereof. The County further agrees to employ the Contractor to perform any alterations in or additions to the work covered by this contract and every part thereof and any force account work that may be ordered and pay for same under the terms of this contract and the attached plans and specifications.
4. The Contractor for himself, and for his heirs, executors, administrators and assigns, and successors and assigns, does hereby agree to the full performance of all the covenants herein contained upon the part of the Contractor.

5. It is further provided that no liability shall attach to the County by reason of entering into this contract, except as expressly provided herein.

IN WITNESS WHEREOF, the said Contractor has executed this instrument, and the said Board of County Commissioners of aforesaid County has caused this instrument to be executed by and in the name of said Board by its Members, duly attested by its Clerk, the day and year first above written, and the seal of said Board to be hereunto affixed on the date in this instrument first above written.

_____, 2011

Signature

Print Name

Firm Name

Address

City State Zip

() Phone

(County Seal)

ATTEST:

Clerk of the Board

APPROVED AS TO FORM:

____ day of _____, 2011

Prosecuting Attorney

BOARD OF COUNTY COMMISSIONERS
OF GRANT COUNTY, WASHINGTON

Chairman

Commissioner

Commissioner