


*Grant County*  
**PUBLIC WORKS DEPARTMENT**

Derek Pohle, P.E.  
Director of Public Works and  
County Road Engineer  
Ephrata (509) 754-6082

David N. Heilman  
Assistant Director of Public Works  
and County Road Engineer  
Ephrata (509) 754-6082

Jeff Tincher, P.E.  
Assistant County Road Engineer  
Ephrata (509) 754-6082

Robert Bersanti  
Design/Construction Engineer  
Ephrata (509) 754-6082



Steve Hill, Supervisor  
Road District No. 1  
Ephrata (509) 754-6586

Dennis Collier, Supervisor  
Road District No. 2  
Moses Lake (509) 765-4172

John Brissey, Supervisor  
Road District No. 3  
Quincy (509) 787-2321

Jerome Wawers, Supervisor  
Bridges  
Ephrata (509) 754-6082

Janice Goeden  
Solid Waste Supervisor  
Ephrata (509) 754-4319

124 Enterprise St. S.E.  
Ephrata, Washington 98823  
(509) 754-6082; Fax (509) 754-6087

Sealed bids will be received for the following equipment:

**Tractor w/boom mower**

Bid Opening  
at  
**2:00 PM**  
**February 15, 2011**  
at the  
Office of the  
Board of County Commissioners  
Grant County Courthouse  
35 C Street NW, Room 207  
P.O. Box 37  
Ephrata, WA 98823

## NOTICE TO EQUIPMENT DEALERS

Sealed bids, plainly marked "**Bid for Tractor w/boom mower, Equipment Contract 2011-03**", will be received by Grant County at the Office of the Board of County Commissioners located in the County Courthouse, 35 C Street NW - Room 207, P.O. Box 37, Ephrata, WA 98823, until **2:00 PM, Tuesday, February 15, 2011**, and will then and there be opened and publicly read for furnishing and delivering:

<u>Item #</u>	<u>Quant.</u>	<u>Description</u>
<b>1</b>	<b>3</b>	<b>Tractor w/boom mower (Dist 1, 2, 3)</b>

Informational copies of the proposal and specifications are on file with the County Engineer in the Grant County Public Works Building, 124 Enterprise St. S.E., Ephrata, WA 98823.

Any bidder offering new equipment shall include in their proposal an offer to purchase the trade-in equipment. The County assumes the new equipment bidder's trade-in offer is a part of the bid including the new equipment. The bidder's trade-in offer will only be considered separately if the bidder grants permission to the County to consider their trade-in offer separately.

Any person or company may make an offer to purchase the trade-in equipment independent of a bid on the sale of the new equipment. Such offers shall be made on forms provided by the County. The bidders are advised that mileage will continue to accumulate at the current usage rate until replacements vehicles are delivered. The County is offering the following trade-ins:

Trade-Ins:

**#1660 - 2000 New Holland TS110 Tractor w/Numac 20' Mid-Mount Rotary Boom Mower,**

VIN No. 145231B License No.55343C Hours as of 9/30/10: 3,700 est.

Genesis 4 cyl. 304 cu.in. turbo diesel engine (90 hp), 8x2 sync. transmission, 540/1000 PTO, ROPS cab with sound suppression, heater/defroster/air conditioning, 90 hp - 68 gpm crankshaft mounted pump, Numac boom T-1 steel boom, 2' to 20' reach, 60" rotary head.

This tractor and boom mower be inspected at Dist 1 Shop in Ephrata, WA., 124 Enterprise St. S.E., Monday through Thursday between 10:00 am and 3:00 pm. (509) 754-6586

**#2660 - 2000 New Holland TS110 Tractor w/Numac 20' Mid-Mount Rotary Boom Mower,**

VIN No. 145367B License No.55345C Hours as of 9/30/10: 3,300 est.

Genesis 4 cyl. 304 cu.in. turbo diesel engine (90 hp), 8x2 sync. transmission, 540/1000 PTO, ROPS cab with sound suppression, heater/defroster/air conditioning, 90 hp - 68 gpm crankshaft mounted pump, Numac boom T-1 steel boom, 2' to 20' reach, 60" rotary head.

This tractor and boom mower be inspected at Dist 2 Shop near Moses Lake, WA., 12171 Rd 3 NE, Monday through Thursday between 10:00 am and 3:00 pm. (509) 765-4172

**#3620 - 2000 New Holland TS110 Tractor w/Numac 20' Mid-Mount Rotary Boom Mower,**

VIN No. 145372B License No.55344C Hours as of 9/30/10: 5,000 est.

Genesis 4 cyl. 304 cu.in. turbo diesel engine (90 hp), 8x2 sync. transmission, 540/1000 PTO, ROPS cab with sound suppression, heater/defroster/air conditioning, 90 hp - 68 gpm crankshaft mounted pump, Numac boom T-1 steel boom, 2' to 20' reach, 60" rotary head.

This tractor and boom mower be inspected at Dist 3 Shop near Quincy, WA., 4718 Rd P NW, Monday through Thursday between 10:00 am and 3:00 pm. (509) 787-2321

All equipment is offered "AS IS". Prospective buyers may view the equipment at the convenience of the operator. Please call the department to make arrangements to inspect the vehicle. All equipment is operating and currently in-service.

The Board of County Commissioners reserves the right to reject or accept any or all portions of the bids received.

## INSTRUCTIONS TO BIDDERS

- 1) Sealed bids, plainly marked "**Bid for Tractor w/boom mower, Equipment Contract 2011-03**", will be received by Grant County at the Office of the Board of County Commissioners located in the County Courthouse, P.O. Box 37, 35 C Street NW - Room 207, Ephrata, WA, 98823, until **2:00 PM, February 15, 2011**, and will then and there be opened and publicly read for the construction of the improvements.
- 2) The Bidder may submit a bid on any or all items listed. If the Bidder does not wish to bid any particular item or items, please write "**NO BID**" on the appropriate proposal sheet.
- 3) Multiple bids for the same item may be made by the Bidder. Please copy the appropriate proposal sheet(s) for the item(s) to be bid with more than one model. The proposal for each item bid must be completed. Please number the proposal sheets accordingly.
- 4) The proposal must be completed and the proposal signature sheet must be signed.
- 5) An informational copy of the contract is provided to the Bidder. Please read it but do not sign it.
- 6) All exceptions or changes to the specifications must be shown on the proposal sheet(s) in the space provided or attached to the proposal sheet.
- 7) The Board of County Commissioners reserves the right to reject or accept all or part of the proposal submitted by the Bidder.
- 8) Bidders are advised that the unit price bid for each new item will be compared with current State or other public agency contract prices for similar vehicles. After said comparison the County may reject or accept all or part of the proposal submitted by the Bidder and purchase items directly from the State or other public agency contracts.
- 9) Trade-in equipment is offered for sale in this contract. Bidders offering new equipment are required to make an offer on the trade-in equipment listed, but can choose to restrict their offer to the award of the contract. Interested parties that are not offering new equipment may submit a bid for one or more trade-in equipment listed. A 5% bid security is required for offers made on all trade-ins from bidders not offering new vehicles or equipment. Although no minimum bids are reserved the County will compare trade-in offers to reliable publications or other sources.

Interested parties bidding for trade-in equipment only are required to post a 5% deposit based on the bid amount offered for the equipment. The deposit will be held until the purchaser provides the whole amount for all vehicles awarded to the high bidder. If the purchaser fails to pay for the awarded vehicles within the allotted time, the deposit shall be forfeited to the County.

## GENERAL CONDITIONS

1. The attached specifications are for the purpose of providing details regarding the type of product desired by Grant County. Equal or similar products from reputable manufacturers and suppliers are permitted. Grant County shall be the final determiner of product equivalence.
2. The Bidder has 15 days from the date of award to sign and return the contracts. Failure to sign and return the contracts may result in the loss of the contract to the Bidder. No performance bond is required for this bid proposal.
3. Grant County shall pay State sales and use taxes on all products purchased. The Bidder shall not include taxes in the bid price and shall show state sales taxes as a separate item in the space provided.
4. Grant County is a political subdivision of the State of Washington and is exempt from paying all Federal excise taxes. The Bidder shall furnish Federal excise tax exemption certification when applicable. All other taxes and costs of business shall be borne by the Bidder and included in the base price.
5. All products shall conform to applicable Federal and State safety and health laws, rules and regulations.

## BID EVALUATIONS

1. Bid evaluations shall include, but not be limited by, the following criteria:
  - a. Price (*may include life cycle*)
  - b. Quality of product
  - c. Conformance to specifications
  - d. Prompt service and parts availability
  - e. Training
  - f. Bidder's previous contract experience
  - g. Public's best interest.

## SUBMISSIONS

1. Bidders are advised to submit the following with each bid item:
  - a. Descriptive literature.
  - b. Complete operating dimensions and sketches of the proposed unit.
  - c. Complete information detailing engines, engine accessories, transmissions, frame, axles, electrical components, cab, differentials, drivelines, hydraulic systems, and appurtenances for each unit bid.
2. The Bidder may submit any other information that may assist Grant County in evaluating the bid.

## FULL SERVICE FACILITY

A full service facility is defined as the location with spare parts available to Grant County within 24 hours from 8:00 AM to 5:00 PM, Monday thru Friday.

## WARRANTY

The Bidder must state the warranty period on all items bid. Grant County may require a minimum warranty period. Within the warranty period the successful Bidder shall replace all parts and perform all repairs which are required or made necessary due to defective design, materials,

workmanship, or non-conformance with the specifications. Unless otherwise noted, the Bidder shall perform all warranty repairs at the Bidder's place of business. Grant County shall deliver and retrieve defective equipment at the Bidder's place of business. All repairs shall have the warranty reinstated for the remaining period.

#### OPERATOR'S, PARTS AND SERVICE MANUALS

The Bidder shall furnish operator's manuals, service manuals and parts manuals as specified in the proposal. **Manuals must be delivered to Grant County before product delivery is considered complete.**

#### DELIVERY, INSPECTION AND ACCEPTANCE

All equipment shall be new and the manufacturer's latest model. All standard equipment shall be furnished with the unit. The unit and mounted equipment, if any, shall be serviced, comply with all specifications, and be in full working order for the purpose it was designed at the time of delivery.

**Grant County will accept delivery between the hours of 8:00 AM to 3:30 PM, Monday thru Thursday only.** Unless otherwise noted, deliveries shall be F.O.B. Grant County. The Bidder will be required to obtain a delivery address and time from the County Engineer, or his designated representative, for each piece of equipment. The Bidder, or his representative, is requested to be present at the time of delivery.

#### TRAINING

1. The Bidder and manufacturer's representatives must be able to provide sufficient training to Grant County personnel to operate, service and repair the equipment. The training should occur in Grant County. Training shall include all labor, equipment, materials, tools, travel and other expenses needed to provide a complete service. The Bidder may show a minimum number of training hours for each category. Failure to offer any training will be a consideration in the bid evaluation process
2. The Bidder shall state the number of hours and the cost per hour for each category of training on the proposal form in the space provided.
3. Training is an additive cost to the contract. The Bidder shall not include training costs in the base bid of the proposal. Grant County is not obligated to use the training offered by the Bidder, however, should Grant County desire to utilize the training programs offered those costs will be added to the contract..

#### LATE DELIVERY

No penalty for late delivery will be assessed against the Bidder. However, the Bidder is advised that the failure to deliver the equipment before the promised date will be a consideration used at succeeding bid proposal evaluations.

#### TRADE-INS

Grant County is not obligated to accept the trade-in offer and may accept new equipment bid without the trade-in offer. The trade-in offer itself will be assumed to be a part of the whole item and will not be considered separately unless the Bidder clearly states the trade-in offer may be considered separately. Bids for trade-ins only will be considered separately.

**PROPOSAL Bid Item No. 1**

BID ALTERNATE # \_\_\_\_\_

<u>Description</u>	<u>Quantity</u>	<u>Unit Price</u>	<u>Amount</u>
Furnish and deliver <b>tractor w/rotary boom mower</b> F.O.B. Grant County, WA	3	\$ _____	\$ _____
		Trade-in #1660	(\$ _____)
		Trade-in #2660	(\$ _____)
		Trade-in #3620	(\$ _____)
Dealer Bid Only: Trade-in offers may be considered separately? Yes _____ No _____		Subtotal	\$ _____
		_____% SST	\$ _____
		<b>TOTAL BID</b>	<b>\$ _____</b>

Make and Model: \_\_\_\_\_

Warranty Period: \_\_\_\_\_

Delivery:: \_\_\_\_\_

**Tractor w/Rotary Boom Mower**

The successful bidder will furnish and deliver three tractors w/boom mowers designed to mow weeds along road shoulders.

Tractor:

The following specifications are patterned after the John Deere 7530-4C Premium 4WD Tractor.

<u>General</u>	<u>List or confirm specifications &amp; changes:</u>
• 2011 model year	_____
• ComfortGard Premium Cab	_____
• 6 cyl. 415 cu.in. (6.8L) turbocharged diesel engine, PowerTech Plus (4 valve), (180 hp @ 2100 rpm)	_____
• PowerQuad PLUS (19 mph/30 kmh) 16F/16R transmission with PowerTech Plus Engine	_____
• On-the-go-shifting	_____
• Creeper	_____
• Mechanical Front Wheel Drive Axle with Limited Slip Differential	_____
• 520/85R38 In. 155A8 R1 Radial Tires, rear (20.8R38 In. 155A8 R1 Radial), Goodyear No Duals	_____
• Provide replacement tire set, rear, with diamond or turf tread suitable for use on pavement.	_____
• 380/85R30 In. 135A8 R1 Radial Tires, front (14.9R30 In. 135A8 R1 Radial), Goodyear	_____
• Provide replacement tire set, front, with diamond or turf tread suitable for use on pavement.	_____
• Auto De-clutch Function. Includes Intelligent Power Management	_____
• 540/1000 RPM Rear Reversible	_____
• Maximum fuel capacity	_____
• Rack and Pinion 3.622 In. (92mm) Diameter by 110.5 In. Length	_____
• 10,600 Lb. Capacity 3-Point Hitch (Category 3) with Telescopic Draft Links and Sway Blocks	_____
• Two Deluxe (3 Detent) Mechanical Selective Control Valves with ISO Breakaway Couplers	_____
• Underhood Muffler with Deluxe Corner Post Exhaust	_____
• Air-Suspended Comfort Command Seat Armrests, Lumbar support (5-position), Bidirectional (side-to-side and fore-and-aft)	_____



- DOMEX Steel
- ¼ in Top and Bottom 100,000 PSI Yield Strength DOMEX Steel
- All Weld Seams 100,000 Metal Core Wire
- Arched Style w/ Continuous Top and Bottom Plates
- Secondary Jib Boom Dimensions:
  - 6.0 in x 6.75 in Formed 100,000 PSI Yield DOMEX Steel
  - 3/16 in Sides 100,000 PSI Yield Strength DOMEX Steel
  - 3/16 in Top and Bottom 100,000 PSI Yield Strength DOMEX Steel
  - All Weld Seams 100,000 Metal Core Wire
- Hinge Points 1.25 in T1 Steel
- Secondary Jib Boom End Plates 1/2 in T1 Steel
- All Hinge Point Pin Locations have Press Fit, Grease-able Bronze Bearings
- 2.0 in Boom Base Pin
- 1.5 in Pins, all Other Pivot Locations

Pivot Base Specifications

- Pivot Base: 1.5 in. x 3/4 in. Steel Plate (70,000 PSI Yield Steel)

Boom Hydraulic Functions

- 4-Function SUREGRIP Electronic Joystick w/ 4-Spool Electronic Valve
- Electronic Valve Driver are integral with the USM manufactured armrest
- Factory Manufactured RH Armrest w/ Motherboard, Fully Program-able
- Valve Driver program-able w/o need for separate instruments, other than screwdriver
- 4-Primary Hydraulic Cylinder Functions:
  - Primary Excavator Boom Cylinder
  - Secondary Jib Boom Cylinder
  - Swing Cylinder
  - Mower Head Tilt Cylinder
- Standard Front Rotary Mower Head Hydraulic Door, optional rear
- Optional 50" DD50BF-HDRSS Flail Head Front Hydraulic Door
- Aircraft Red Flip Switch Style Mower Head Engagement w/ Protective Cover

Hydraulics

- Hydraulic Oil Reservoir Capacity 22.0 Gallons
- 35,000 BTU Oil Cooler Standard & Attached to Oil Reservoir w/ Thermostat
- Oil Reservoir equipped w/10 Micron Suction Screen, & Schroeder 100 GPM Filter
- Hydraulic Hard Lines .120 Wall Steel Tube x 1.0 in OD
- Hydraulic Cylinder Barrel Wall Thickness ¼ in.
- Hydraulic Cylinder Barrel and Rod Size:
  - Primary Excavator Main Boom Cylinder – 4.0 in. barrel: 2.0 in. rod
  - Secondary Jib Boom Cylinder – 4.0 in. barrel:

- 2.0 in. rod
- Swing Cylinder – 4.0 in. barrel: 2.0 in. rod
- Head Tilt Cylinder – 3.0 in. barrel: 1-1/2 in. rod
- Feeder Gate Cylinder – 2.0 in. barrel: 1.0 in. rod
- Hydraulic Cylinder Location:
  - Primary Excavator Main Boom Cylinder – underside of boom
  - Secondary Jib Boom Cylinder – underside of boom
  - Mower Head Tilt Cylinder – top side of jib boom
  - Boom Swing – Lower Side of Boom Tower Pivot Attached to Mount
- Hydraulic Cylinder Pin Size, Bearing configuration:
  - Primary Excavator Main Boom Cylinder, Rod End/Butt End, 2.0 in. OD Pins w/ grease-able, Bearings on both ends
  - Secondary Jib Boom Cylinder, Rod End/Butt End, 1-1/2 in. OD Pins w/grease able, Spherical Plane bearings on both ends
  - Boom Swing Cylinder Rod End/Butt End 1-1/2 in. Rod End/Butt End Pin w/grease-able, Spherical Plane Bearing.
  - Mower Head Tilt Cylinder, Rod End 1-1/4 in. OD Pin w/ grease-able Bronze Bearings. Butt End, 1-1/2 in. OD Pin w/ grease-able, Spherical Plane Bearing
- Hydraulic Motor Hard Lines are .120 Wall Steel Tube x 1.0 in OD
- All Hydraulic Lines are located on Topside of the Boom sections
- 53 GPM Hydraulic Piston Pump Driven Via Engine Crankshaft w/ Love-Joy Couplers on Both Ends of USM Manufactured Shaft
- Mower Head 40 GPM Dedicated Flow @ 2,400 Engine RPM @ 3000 Max PSI
- 70 HP to Head @ 2,400 RPM
- Boom Cylinder Functions 13 GPM
- 1.25 in ID Suction Line.
- Suction Hose Has Crimped JIC Fittings Mounted w/Stainless Steel Hose Clamps

Heavy Duty 60 In. Rotary Mower Head

- Cutting width: 60 in.
- Blade tip speed: 350 Ft per second
- Cutting Blades: (2) 14.0 in. x 6.0 in x 12.0 Lbs each free-swinging blades
- Cutting Blade Bolts: 4- side square shank shoulder bolts
- Blade Carrier: 1.0 in. x 41.0 in. T-1 Electronic Balanced
- Blade Carrier Option: 2.0 in. x 6.0 in. x 41.0 in. Electronic Balanced Blade Bar
- Rotary Cutter Shroud: 3/16 in. DOMEX Steel 100,000 PSI Yield Strength
- Shroud Super Structure Sides: 3/16 in. x 7.0 in. DOMEX 100,000 PSI Yield Strength
- Shroud Super Structure Center: 3/16 in x 10.0 in DOMEX 100,000 PSI Yield Strength
- Gearbox Mounting Structure: 3/16 in. DOMEX 100,000 PSI Yield Strength Reinforced with 3/8 in. & 5/8 in. Plate

- Drive: Direct-Drive to Hydraulic Gear Motor \_\_\_\_\_
- Hydraulic Gear Motor Mounting: Direct-Couple to a  
1-1/4 in. 14 tooth spindle \_\_\_\_\_
- Hydraulic Motor Spindle: (2) Tapered Roller Bearings  
with (1) 42 Lb. 4140 steel Spindle \_\_\_\_\_
- Hydraulic Gear Motor Spindle Assembly: LH fortress  
thread split nut retained w/ (2) cap screws \_\_\_\_\_
- Hydraulic Gear Motor Housing Lubrication: Grease \_\_\_\_\_
- Standard Hydraulic Actuated Front Door \_\_\_\_\_
- Optional Dual Hydraulic Actuated Doors (Front and Rear) \_\_\_\_\_
- Safety Shielding: Full width 3/8 in. 2-ply neoprene belting \_\_\_\_\_
- Optional Chain Safety Shielding: Full Single or Double  
Row Chain, Front and Rear \_\_\_\_\_
- Boom Reach from Tractor Center-line out 90° to  
Mower Edge: 26' \_\_\_\_\_
- Operating Weight: 950 Lbs. \_\_\_\_\_

OPTIONAL EQUIPMENT: (List additional prices for options here. Do not include sales tax. Please do not include the price of these options in the base bid.)

- Upgrade to US Mower Model 197FSW25\_1 Premium Boom Mower offering Boom Swing Arc of 197° swing from stow position w/60" Rotary Mower. This option to include all component and performance changes and upgrades. Please list price increase per unit. \$ \_\_\_\_\_

Trade-Ins:

#1660 - 2000 New Holland TS110 Tractor w/Numac 20' Mid-Mount Rotary Boom Mower,  
VIN No. 145231B License No.55343C Hours as of 9/30/10: 3,700 est.

#2660 - 2000 New Holland TS110 Tractor w/Numac 20' Mid-Mount Rotary Boom Mower,  
VIN No. 145367B License No.55345C Hours as of 9/30/10: 3,300 est.

#3620 - 2000 New Holland TS110 Tractor w/Numac 20' Mid-Mount Rotary Boom Mower,  
VIN No. 145372B License No.55344C Hours as of 9/30/10: 5,000 est.

<u>Nearest service outlet for warranty repairs:</u>		<u>Proposed customer training:</u>	
Company: _____	Contact: _____	Operator . . . . .	_____ hrs @ \$ _____/hr
Street: _____	Phone: (_____) _____	Service . . . . .	_____ hrs @ \$ _____/hr
City: _____	Fax: (_____) _____	Mechanical . . . . .	_____ hrs @ \$ _____/hr
State: _____ Zip _____	Email: _____	Location . . . . .	Ephrata

*Replaces: #1660 (Dist 1), #2660 (Dist 2), #3620 (Dist 3)*

## **Non-Collusion Declaration**

**I, by signing the proposal, hereby declare, under penalty of perjury under the laws of the United States that the following statements are true and correct:**

1. That the undersigned person(s), firm, association, or corporation has (have) not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with the project for which this proposal is submitted.
2. **That by signing the signature page of this proposal, I am deemed to have signed and have agreed to the provisions of this declaration.**

## Proposal for New Equipment - Signature Page

The Bidder supplying new vehicles and trade-in offers is hereby advised that by signature of this proposal he/she is deemed to have acknowledged all requirements and signed all certificates contained herein.

No proposal guaranty is required for this bid proposal offering new vehicles and trade-in offers.

Receipt is hereby acknowledged of addendum(s) No.(s) \_\_\_\_\_, \_\_\_\_\_ & \_\_\_\_\_.

In compliance with Chapter 39.34.030(5)b RCW a public notice for this solicitation for bids has been posted on Grant County's website: <http://www.grantcountyweb.us/GCPW/index.htm>

- The Bidder will allow Grant County to purchase additional contract items at the original bid prices offered: ..... Yes\_\_\_\_ No\_\_\_\_
- The Bidder will allow other public agencies to purchase additional contract items at the original prices offered (RCW 39.34): ..... Yes\_\_\_\_ No\_\_\_\_
- The Bidder will allow modifications on contract items for additional purchase requests (subject to wholesale price adjustments agreeable to each public agency): ..... Yes\_\_\_\_ No\_\_\_\_
- The Bidder agrees to provide extended purchase options thru March 15, 2008 ... Yes\_\_\_\_ \*No\_\_\_\_  
    \*If "No" is checked please show acceptable extended purchase period: .... \_\_\_\_\_
- The Bidder understands Grant County accepts no responsibility for the payment of any additional purchase requests made by other public agencies: ..... Yes\_\_\_\_ No\_\_\_\_
- The Bidder understands Grant County is not required to purchase additional contract items: ..... Yes\_\_\_\_ No\_\_\_\_

Signature of Authorized Official(s)

**PROPOSAL MUST BE SIGNED →** \_\_\_\_\_

Please Print Name of Authorized Official

Firm Name \_\_\_\_\_

Address \_\_\_\_\_

City, St, Zip \_\_\_\_\_

Voice (\_\_\_\_) \_\_\_\_\_ Fax (\_\_\_\_) \_\_\_\_\_

Email \_\_\_\_\_

State of Washington License No. \_\_\_\_\_

Federal ID No. \_\_\_\_\_

- Note:
- (1) This proposal form is not transferable and any alteration entered hereon without prior permission from the County Engineer will be cause for considering the proposal irregular and subsequent rejection of the bid.
  - (2) Should it be necessary to modify this proposal either in writing or by electronic means, please make reference to the following proposal number in your communication: **Equipment Contract 2011-03**

## Proposal for Trade-ins - Signature Page

The Bidder for trade-in vehicles only (not including new vehicle dealers) is hereby advised that by signature of this proposal he/she is deemed to have acknowledged all requirements and signed all certificates contained herein.

A 5% proposal guarantee is required for the bid proposal for trade-ins.  
(Please attach cashier's check or certified check.)

Receipt is hereby acknowledged of addendum(s) No.(s) \_\_\_\_\_, \_\_\_\_\_ & \_\_\_\_\_.

Additional terms:

- If the Bidder's offer to purchase used equipment is accepted by the County, the bidder understands he/she has 30 days to complete the sale after notification of the delivery of new vehicle.
- The Bidder may be allowed to withdraw his/her offer if the used vehicle is damaged or has become mechanically unreliable and the value of used vehicle is reduced. In the event this happens the County and the Bidder may negotiate a new purchase price.
- The bidder will not be permitted to withdraw his/her offer do to increased mileage.

Signature of Authorized Official(s)

**PROPOSAL MUST BE SIGNED →** \_\_\_\_\_

\_\_\_\_\_  
Please Print Name

Firm Name \_\_\_\_\_

Address \_\_\_\_\_

City, St, Zip \_\_\_\_\_

Voice (\_\_\_\_) \_\_\_\_\_ Fax (\_\_\_\_) \_\_\_\_\_

Email \_\_\_\_\_

- Note:
- (1) This proposal form is not transferable and any alteration entered hereon without prior permission from the County Engineer will be cause for considering the proposal irregular and subsequent rejection of the bid.
  - (2) Should it be necessary to modify this proposal either in writing or by electronic means, please make reference to the following proposal number in your communication: **Equipment Contract 2011-03**

## CONTRACT

THIS AGREEMENT, made and entered into this \_\_\_\_\_ day of \_\_\_\_\_, 2011, between the Board of County Commissioners of Grant County, State of Washington, acting under and by virtue of Chapter 36.77 of the Revised Code of Washington, as amended, hereinafter called the County, and \_\_\_\_\_, for itself, its heirs, executors, administrators, successors and assigns, hereinafter called the Contractor.

### WITNESSETH:

That in consideration of the payments, covenants, and agreements, hereinafter mentioned, and attached and made a part of this agreement, to be made and performed by the parties hereto, and the parties hereto covenant and agree as follows:

### DESCRIPTION OF WORK:

1. The Contractor shall do all work and furnish all tools, materials, labor and equipment necessary to improve and complete **Tractor w/boom mower, Equipment Contract 2011-03**, located in Grant County, Washington, as proposed in a bid opened **2:00 PM, Tuesday, February 15, 2011** in accordance with and as described in the herein attached plans and standard specifications, and in full compliance with the terms, conditions, and stipulations herein set forth and attached, now referred to any by such reference incorporated herein and made part hereof as fully for all purposes as if here set forth at length, and shall perform any alterations in or additions to the work covered by this contract and every part thereof and any force account work may be ordered as provided in this contract and every part thereof.
2. The Contractor shall provide and be at the expense of all materials, labor, carriage, tools, implements and conveniences and things of every description that may be requisite for the transfer of materials and for constructing and completing the work provided for in this contract and every part thereof.
3. The County hereby promises and agrees with the Contractor to employ, and does employ the Contractor to provide the materials and to do and cause to be done the above described work and to complete and finish the same according to the attached plans and specifications and the terms and conditions herein contained, and hereby contracts to pay for the same according to the attached specifications and the schedule of unit or itemized prices hereto attached, at the time and in the manner and upon the conditions provided for in this contract and every part thereof. The County further agrees to employ the Contractor to perform any alterations in or additions to the work covered by this contract and every part thereof and any force account work that may be ordered and pay for same under the terms of this contract and the attached plans and specifications.
4. The Contractor for himself, and for his heirs, executors, administrators and assigns, and successors and assigns, does hereby agree to the full performance of all the covenants herein contained upon the part of the Contractor.

5. It is further provided that no liability shall attach to the County by reason of entering into this contract, except as expressly provided herein.

IN WITNESS WHEREOF, the said Contractor has executed this instrument, and the said Board of County Commissioners of aforesaid County has caused this instrument to be executed by and in the name of said Board by its Members, duly attested by its Clerk, the day and year first above written, and the seal of said Board to be hereunto affixed on the date in this instrument first above written.

\_\_\_\_\_, 2011

Signature

Print Name

Firm Name

Address

City State Zip

( ) Phone

(County Seal)

ATTEST:

\_\_\_\_\_  
Clerk of the Board

APPROVED AS TO FORM:

\_\_\_\_ day of \_\_\_\_\_, 2011

\_\_\_\_\_  
Prosecuting Attorney

BOARD OF COUNTY COMMISSIONERS  
OF GRANT COUNTY, WASHINGTON

\_\_\_\_\_  
Chairman

\_\_\_\_\_  
Commissioner

\_\_\_\_\_  
Commissioner