

Sheet M2.1 OFFICE BUILDING - FOUNDATION & BASEMENT PLAN - PLUMBING

Add #2

1. WATER HEATER HWT#1: Provide 1-1/4" CW and 1-1/4" HW connections.
2. FLOOR DRAINS: Except where indicated otherwise, floor drains shall be type II with round stainer expect floor drains in tile floors shall be type I with square stainer.
3. NOTE at GRID E-8: Delete reference to pumped waste.
4. SIMPLEX SUMP PUMP: Simplex submersible sump pump shall be equal to Weil Model 1405, 1-1/4" sump pump with differential float switch, 30 gpm at 20 ft. total head, 1/3 HP, 115 volt. Provide fiberglass basin with cast-iron or steel cover.

10. Sheet M2.1 OFFICE BUILDING - FOUNDATION AND BASEMENT PLAN - PLUMBING

Add #1

Provide 2" gate valve near grid 8 on main water service into the building.

A1 OFFICE BUILDING FOUNDATION PLAN & BASEMENT FLOOR PLAN - PLUMBING

1/8"=1'-0"

AS-BUILT

No.	REVISIONS/SUBMISSIONS	DATE
3		
2		
1		

Zeck|Butler ArchitectsPS

The Paulsen Center Suite 860 West 421 Riverside, Spokane WA 99201 (509) 456-8236/Fax (509) 747-0570
The Edwards Building 1029 West Broadway, Moses Lake WA 98837 (509) 765-8825/Fax (509) 765-8797

PROJECT TITLE
GRANT COUNTY PUBLIC WORKS
OFFICE/SHOP COMPLEX
EPHRATA, WA

SHEET TITLE
OFFICE BUILDING - FOUNDATION & BASEMENT PLAN - PLUMBING

SEAL: DAVID G. REAMER, STATE OF WASHINGTON, 22006, REGISTERED PROFESSIONAL ENGINEER, EXPIRES 4/18/97

DATE	3/8/96
PROJECT NO.	9573 (95219)
DRAWN	DRD
CHECKED	DGR
REVIEWED	DWS
DRAWING NO.	M2.1